



claber

2020/21

SEASON

2020/21 SEASON

claber

CATALOGUE
2021



Spring is rebirth.

Spring is the desire to find yourself in the open air again, to enjoy the sun on your skin and new scents and colours every day.

Whether it's a small balcony or a large garden, a green space is the most beautiful place in the home, where we can welcome friends or find the innermost parts of ourselves while taking care of our plants.

Greenery and flowers let us rediscover the pleasure of contact with nature, they transform spaces, making them vibrant and welcoming, to make the most of the fine weather, to work, study, read a good book, eat and be together at last.

Spring is rebirth and it has the ability to pass energy and serenity on to us.

We have lived through a season of our lives that we could never have imagined. We have watched the world from a balcony, and taken care of our worries by looking after the plants in our gardens. The slower pace has revealed details we used to take for granted, to which we now give a different value.

It's never been so important to enjoy spring to the full, as a season of the year and of our lives.

At Claber we feel a responsibility to work together to imagine a different world, to restore in people the idea that the future can always be better.

We are committed to building a model in which technology doesn't give us false hopes but brings us together, thanks to which nature can really prosper through our individual and collective choices.

Completion of the range



90858 – Bracket coupling for Ø 20 mm hose



For installing a sprinkler on the main line without cutting the tube.
Header bag of 2 pcs.

8059 – Oasis Evolution Drippers



Spare in-line Oasis Evolution drippers for localised irrigation.
Pack of 5 pcs.

9048 – 25 m Top-Black hose Ø 3/4" (19/25 mm)



Claber Best seller.

Braided hose resistant to algae, kinks and UV rays.

Phthalates-free and with no heavy metals.

8592 - 1"-3/4" angled tap connector

Tap connector with joint for 1" (26-34 mm) and 3/4" (20-27 mm) threaded taps.

3/4" M threaded outlet and Quick-Click® male connector.



Angled tap connector



180°

The 180° swivel and 360° rotation prevent the hose from twisting and kinking.



360°

90759 – DRIP KIT PLUS 25 pots

25 pots



Plus drippers



Ready-to-use drip kit complete with all the components for watering up to 25 pots.

The PLUS drippers enable to adjust the water flow without twisting the 1/4" hose.

Triply hoses

Flat triple-soaker hose with regular micro-punctures on one side. Ideal for watering borders, flowerbeds and small vegetable patches.

Equipped with a Quick-Click® connector to the water outlet.


Operating pressure from 1 to 3 bar.



Triple-soaker hose


Laid out with the holes facing up, it releases countless jets.

Ideal for watering hedges and borders.



With the holes facing down, it gives uniform soaking.

Ideal for vegetable patches.



90376 – Triply 7,5 m



Water flow:
from 3 to 8 l/min.

90377 – Triply 15 m



Water flow:
from 5 to 13 l/min.



In 2021 catalogue

TAP CONNECTORS • 17

3/4" (20-27 mm) QUICK-FIT TAP CONNECTOR

8587



3/4" (20-27 mm) indoor tap connector to attach a hose with a tap in the kitchen or bathroom. For taps with 22 mm male or 24 mm female thread. Connection with quick release lever clamp mechanism. Complete with metal filter-aerator and adapter. Quick-Click® coupling. Fully watertight connection.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pci/pallet
8587		10	7,9 x 15,7 x 4,3	25 x 19 x 10	0,005	0,80	1440



3/4" (20-27 mm) TAP CONNECTOR METAL

8597



3/4" (20-27 mm) indoor tap connector. For taps with 22 mm male or 24 mm female thread. Complete with metal filter-aerator and adapter. Quick-Click® coupling. Fully watertight connection.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pci/pallet
8597		14	7,9 x 15,7 x 3,5	25 x 19 x 10	0,005	1,06	2016



SMOOTH TAP CONNECTOR

8525



For taps with round spouts (ext. Ø min. 15 max. 20 mm). With metal clip to fasten it safely to the tap. Quick-Click® coupling.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pci/pallet
8525		10	7,9 x 15,7 x 5	25 x 19 x 10	0,005	0,85	1440



KOALA QUICK-CLICK

8583



Square and mixer taps connector ideal to bring water from indoor taps to balconies not provided with any water outlets. Easy to install and perfectly watertight. Quick-Click® coupling.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pci/pallet
8583		8	15,4 x 24 x 5,5	28 x 25 x 19	0,013	1,34	384



1" - 3/4" ANGLED TAP CONNECTOR

8592



Tap connector with joint for 1" (26-34 mm) and 3/4" (20-27 mm) threaded taps. The 180° swivel and 360° rotation prevent the hose from twisting and linking. 3/4" M threaded outlet and Quick-Click® male connector.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pci/pallet
8592		8	15,4 x 24 x 4,7	28 x 25 x 19	0,013	0,98	384



110 • RAINJET DRIPPERS

TIMER KIT 20 LOGICA

90766



Complete kit with 20 in-line drippers. Extensible by the addition of other components in the RainJet® series. Contains Logica® water timer.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pci/pallet
90766		1	29,5 x 30,5 x 7,5	29,5 x 30,5 x 7,5	0,007	1,35	96



DRIP STARTER KIT

90764



Complete kit with 20 in-line drippers. Extensible by the addition of other components in the RainJet® series.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pci/pallet
90764		4	30 x 30,5 x 4,4	39 x 39 x 19	0,029	3,50	96



DRIP KIT PLUS 25 POTS

NEW FOR 2021

90759



Ready-to-use kit for optimum watering of plants on the terrace or in flowerbeds, adjusting the flow and adapting it to what the different plants need. Contains all the connectors to make a drip irrigation system to water up to 25 plants with adjustable in-line Plus drippers and 25 m of feeding hose.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pci/pallet
90759		1	29,5 x 30,5 x 7,5	29,5 x 30,5 x 7,5	0,007	1,00	96



TRIPLE-SOAKER HOSES

NEW FOR 2021

For a practical and versatile irrigation experience, Claber presents Triply, a range of triple-soaker hoses equipped with regular micro-punctures and a double-sided core. Thanks to its triple line, the triple-soaker hose releases countless jets of water and can be used to spread a gentle, calibrated rain (with the holes facing up), or to ensure the right humidity of the earth (with the holes facing down). The Quick-Click® socket ensures fast installation, making it the ideal partner for watering borders, flowerbeds and small vegetable patches or gardens.



THE IDEAL PARTNER
for watering borders, flowerbeds
and small vegetable patches.

TRIPLY 7,5 m

90376



Triple-soaker hose with regular micro-punctures on one side. Laid out with the holes facing up, it releases countless jets. With the holes facing down it waters the ground by saturation. Equipped with a Quick-Click® socket to connect to the water outlet. Operating pressure from 1 to 3 bar. Water flow rate from 3 l/min to 8 l/min.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pci/pallet
90376		3	31 x 4 x 29	40 x 13 x 40	0,02	2,43	108



TRIPLY 15 m

90377



Triple-soaker hose with regular micro-punctures on one side. Laid out with the holes facing up, it releases countless jets. With the holes facing down it waters the ground by saturation. Equipped with a Quick-Click® socket to connect to the water outlet. Operating pressure from 1 to 3 bar. Water flow rate from 5 l/min to 13 l/min.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pci/pallet
90377		3	38 x 4 x 38	40 x 13 x 40	0,02	4,20	108



Range evolution




Metal-Jet range



Metal-Jet range

Complete range in
chromed-plated brass,
resistant and long-lasting



Metal-Jet connectors



9605
1/2" F tap connector



9608
1/2" M adaptor



9609
3/4" M adaptor

9619 – Basic metal pistol



Chrome-plated brass spray pistol.

Flow adjustment lever and exclusive device for selecting and fixing the desired jet. Quick-Click® coupling.

9623 - Impact Metal-Jet

Chrome-plated metal pulsating sprinkler mounted on a metal spike. Ideal for large-sized gardens. For 0° to 350° sector irrigation or 360° continuous rotation, it covers circular areas up to 500 m² (Ø 25 m). Option to connect two sprinklers in line.



	Jet range	Water flow
1 bar	9,00 m	7,66 l/min
2 bar	11,50 m	10,58 l/min
3 bar	12,60 m	15,73 l/min



34 METAL-JET RANGE

SPRAY NOZZLE WITH ADJUSTABLE JET



Spray nozzle with adjustable jet from fully open to fully closed (concentrated or mist). Made from chrome-plated brass. Quick-Click® coupling.

code	packaging	qty	pack size (m)	box size (m)	volume (m³)	weight (kg)	pcy/pallet
9620	8	14,5 x 12 x 2,8	22,5 x 15,5 x 11,3	0,005	1,30	800	8 900620 960000

BASIC METAL PISTOL



Chrome-plated brass spray pistol. Flow adjustment lever and exclusive device for selecting and fixing the desired jet. Quick-Click® coupling.

code	packaging	qty	pack size (m)	box size (m)	volume (m³)	weight (kg)	pcy/pallet
9619	5	14,5 x 20 x 3,1	19 x 16,5 x 24,5	0,008	1,30	224	5 900620 960019

SPRAY PISTOL



Spray pistol in chrome-plated metal and brass. Plastic ergonomic grip. Water flow adjustment lever and lock for desired jet. Quick-Click® coupling.

code	packaging	qty	pack size (m)	box size (m)	volume (m³)	weight (kg)	pcy/pallet
9621	4	14,5 x 18 x 3,5	19 x 16,5 x 24,5	0,008	1,40	224	4 900620 960021

8 PATTERNS MULTIFUNCTION PISTOL



Multifunction pistol in chrome-plated metal and brass. Plastic ergonomic grip. Water flow adjustment lever and lock for desired jet. Turn the ring nut for 8 different spray patterns. Quick-Click® coupling.

code	packaging	qty	pack size (m)	box size (m)	volume (m³)	weight (kg)	pcy/pallet
9622	4	14,5 x 21 x 6	19 x 16,5 x 24,5	0,008	1,5	224	4 900620 960022



32 METAL-JET RANGE

TWO-WAY CONNECTOR



Two-way connector in chrome-plated brass. Connects two hoses with automatic couplings in series.

code	packaging	qty	pack size (m)	box size (m)	volume (m³)	weight (kg)	pcy/pallet
9606	10	7 x 12 x 2	19 x 12,8 x 8,5	0,002	0,70	2160	10 900620 960006

THREE-WAY CONNECTOR



Three-way connector in chrome-plated brass. Splits the irrigation line into two different directions. Connects three hoses with automatic couplings.

code	packaging	qty	pack size (m)	box size (m)	volume (m³)	weight (kg)	pcy/pallet
9607	8	7 x 12 x 1,9	19 x 12,8 x 8,5	0,002	1,16	1728	8 900620 960007

1/2" M (15 - 21 mm) CONNECTOR



Chrome-plated brass connector with 1/2" (15 - 21 mm) male thread. For connecting any sprinkler or accessory with 1/2" female thread to the Quick-Click® system at the water inlet.

code	packaging	qty	pack size (m)	box size (m)	volume (m³)	weight (kg)	pcy/pallet
9608	10	7 x 12 x 2,6	19 x 12,8 x 8,5	0,002	0,55	2160	10 900620 960008

3/4" M (20 - 27 mm) CONNECTOR



Chrome-plated brass connector with 3/4" (20 - 27 mm) male thread. For connecting any sprinkler or accessory with 3/4" female thread to the Quick-Click® system at the water inlet.

code	packaging	qty	pack size (m)	box size (m)	volume (m³)	weight (kg)	pcy/pallet
9609	10	7 x 12 x 2,8	19 x 12,8 x 8,5	0,002	0,62	2160	10 900620 960009



METAL-JET RANGE 31

3/4" M (20-27 mm) THREADED ADJUSTABLE TWO-WAY ADAPTER



Adjustable two-way adapter, 3/4" (20-27 mm) thread, in chrome-plated brass. Independent water flow adjustment on the two lines. Secure fit on taps with 3/4" (20-27 mm) thread. Used to install two electronic timers, pressure reducers, etc.

code	packaging	qty	pack size (m)	box size (m)	volume (m³)	weight (kg)	pcy/pallet
9601	4	14,5 x 12 x 5	22,5 x 15,5 x 11,3	0,005	1,97	400	4 900620 960001

ADJUSTABLE TWO-WAY TAP CONNECTOR



Two-way connector in chrome-plated brass. Used to connect up two lines fitted with Quick-Click® automatic couplings to just one water outlet. Taps adjust independently. Secure fit on taps with 3/4" (20-27 mm) thread.

code	packaging	qty	pack size (m)	box size (m)	volume (m³)	weight (kg)	pcy/pallet
9602	4	14,5 x 12 x 5	22,5 x 15,5 x 11,3	0,005	1,53	400	4 900620 960002

1" (26-34 mm) TAP CONNECTOR WITH 3/4" (20-27 mm) ADAPTER



Tap connector in chrome-plated brass. For connecting automatic couplings to the tap. Female: 1" (26-34 mm) thread and 3/4" (20-27 mm) adapter.

code	packaging	qty	pack size (m)	box size (m)	volume (m³)	weight (kg)	pcy/pallet
9603	10	7 x 12 x 3	19,5 x 18,5 x 8,5	0,003	1,14	1440	10 900620 960003

3/4" (20-27 mm) TAP CONNECTOR



Tap connector in chrome-plated brass. For connecting automatic couplings to the tap. Female: 3/4" (20-27 mm) thread.

code	packaging	qty	pack size (m)	box size (m)	volume (m³)	weight (kg)	pcy/pallet
9604	10	7 x 12 x 3,6	19 x 16 x 8,3	0,003	0,64	1800	10 900620 960004

1/2" (15 - 21 mm) TAP CONNECTOR



Chrome-plated brass tap connector. For connecting automatic couplings to the tap. Female: 1/2" (15 - 21 mm) thread.

code	packaging	qty	pack size (m)	box size (m)	volume (m³)	weight (kg)	pcy/pallet
9605	10	7 x 12 x 2,4	19 x 12,8 x 8,5	0,002	0,54	2160	10 900620 960005

IMPACT METAL-JET SPIKE



Chrome-plated metal pulsating sprinkler for 0° to 350° sector irrigation or 360° continuous rotation. Mounted on a metal spike for being securely into the ground. Provided with diffuser cones for uniform irrigation and deflector to lower the height of the jet if necessary. Option to connect two sprinklers in line using the 3/4" threaded outlet. Operating pressure: 1-3 bar. Maximum irrigated area 500 m².

code	packaging	qty	pack size (m)	box size (m)	volume (m³)	weight (kg)	pcy/pallet
9623	3	14,5 x 31 x 6	32 x 11 x 18	0,006	1,18	210	3 900620 960023

OPTION FOR CONTINUOUS ROTATION OR IN 0-350° SECTORS



PERFECT STABILITY THANKS TO THE METAL SPIKE

Light hoses



TOP-LIGHT



Range of lightweight hoses.

Anti-kink and no torsion.

Anti-UV rays.

Working pressure: 0-4 bar

Burst pressure: 12 bar



TOP-LIGHT: the answer is green

Eco-friendly
100% recyclable
Free from phthalates, BPA and lead



TOP-LIGHT range

1/2"(12-17 mm) hose
Compatible with standard
1/2" automatic couplings

10 m



15 m



25 m



9556 - Espo TOP-LIGHT

Cardboard floor stand display.

Supplied empty and disassembled in a compact transport packaging.
Easy-to-mount.

Four-colour graphics.



3 display options:

9340 Top-Light 10 m: 32 pcs

9341 Top-Light 15 m: 24 pcs

9342 Top-Light 25 m: 12 pcs

In 2021 catalogue

TOP-LIGHT HOSES

NEW FOR 2021

Top-Light is Claber's new incredibly light garden hose: less than 100 grams per linear metre. Thanks to the innovative material it is made of, Top-Light does not bend or become blocked, therefore ensuring the constant and continuous passage of water in any situation. Top-Light is non-toxic, free from phthalates, BPA and heavy metals, and is 100% recyclable. Top-Light comes with fittings so it is ready to use right away, and is available in three sizes: 10, 15 and 25 metres. The first garden hose of its type.



TOP-LIGHT
The lightest garden hose ever

INCREDIBLY LIGHT

WATER NON-STOP

10 METRES
LESS THAN
A KILO

SPECIAL ANTI-KINK STRUCTURE



TOP-LIGHT HOSES ● 75

TOP-LIGHT 10 m

9340



Lightweight hose, easy to handle and resistant to kinks, torsion and UV rays. Ideal to ensure an easy and convenient watering on terraces and gardens. Non-toxic (free from phthalates, BPA and heavy metals). Top-Light is made from high quality materials and is fully recyclable. Working pressure 0-4 bar. Diameter: int. 12,5 mm, external 17,4 mm. Supplied with two automatic couplings, included in the pack.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet
9340		1	25 x 25 x 11,5	25 x 25 x 11,5	0,007	0,98	150



TOP-LIGHT 15 m

9341



Lightweight hose, easy to handle and resistant to kinks, torsion and UV rays. Ideal to ensure an easy and convenient watering on terraces and gardens. Non-toxic (free from phthalates, BPA and heavy metals). Top-Light is made from high quality materials and is fully recyclable. Working pressure 0-4 bar. Diameter: int. 12,5 mm, external 17,4 mm. Supplied with two automatic couplings, included in the pack.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet
9341		1	27 x 27 x 11,5	27 x 27 x 11,5	0,008	1,32	108



TOP-LIGHT 25 m

9342



Lightweight hose, easy to handle and resistant to kinks, torsion and UV rays. Ideal to ensure an easy and convenient watering on terraces and gardens. Non-toxic (free from phthalates, BPA and heavy metals). Top-Light is made from high quality materials and is fully recyclable. Working pressure 0-4 bar. Diameter: int. 12,5 mm, external 17,4 mm. Supplied with two automatic couplings, included in the pack.


code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet
9342		1	25 x 25 x 21,5	25 x 25 x 21,5	0,013	2,15	75



New solutions



New market demands



HAPPY FRESH

Misting solutions for cooling down outdoor temperature.



HAPPY FRESH



Ideal for cooling down the temperature during hot summer days on the patio, in the garden or on the terrace.

It helps reducing the temperature of up to 6°.

Easy to install, thanks to the fitting clips.



KIT HAPPY FRESH



90751 - 7,5 m kit

90752 - 12 m kit



KIT HAPPY FRESH



90751 - 7,5 m kit

- 7,5 m hose
- 6 micro-mist sprayers (one end-of-line)
- couplings and fitting clips

90752 - 12 m kit

- 12 m hose
- 9 micro-mist sprayers (one end-of-line)
- couplings and fitting clips



HAPPY FRESH: MIST water timer



Cyclical
programming

2 rotary
knobs: times
and
frequencies



Dual use:
yellow and
blue to
select
minutes or
seconds

HAPPY FRESH: MIST water timer

Yellow sector:

27 programmes for drip irrigation from 2 min to 90 min, every 12/24 or 48 h.

Blue sector:

24 programmes for Happy Fresh from 5 to 45 sec, every 1, 3, 5, 10 min.

Test function



Operates with a 9 V alkaline battery.

Working pressure from 0,5 to 10 bar.

100% checked and tested.

HAPPY FRESH programming



8496 - Aquauno Mist water timer

90753 - 12 m kit
With timer



HAPPY FRESH programming



90753 - 12 m kit
with timer



HAPPY FRESH: complete range

90751



90752



90753



8496



HAPPY FRESH KIT

NEW FOR 2021

Happy Fresh is the practical kit designed by Claber to cool down hot summer days on the patio, in the garden or on the terrace. The efficiency of the micro-mist nozzles means that the microscopic drops of water released into the atmosphere can reduce the temperature by up to 6 degrees, creating a feeling of well-being on even the hottest days. Quick to assemble, the Happy Fresh Kit can easily be hooked onto parasols, gazebos and sunshades; you just need a tap and an extension hose to enjoy only the pleasant side of summer. The system can be integrated with Aquauno Mist, the new versatile battery-powered Claber timer that allows you to set the frequency and run time of the nebulisation periods.

HAPPY FRESH KIT

Only the best of summer

UP TO 6 DEGREES LESS, THANKS TO THE EFFICIENCY OF THE MICRO-MIST NOZZLES

EASY ATTACHMENT AND BRASS NOZZLES



OPTIONAL TIMER



AQUAUNO MIST

8496



Automatic one-way timer, ideal for cyclical automation of both Happy Fresh cooling systems and watering systems on the terrace and in the garden. Easy programming with 2 rotary knobs: one to set the frequency and the other to select the run time. 27 programs can be selected for drip systems (yellow sector, run time from 2 to 90 mins every 12, 24 or 48 hours), 24 possible combinations for Happy Fresh systems (blue quadrant, run time from 5 to 45 seconds every 1, 3, 5, 10 mins). Option of 5 min function test. Equipped with washable filter. Works with 9V alkaline battery. Electronic part perfectly sealed. Operating pressure from 0.5 to 10 bars. 100% checked and tested.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet
8496		2	7 x 14,8 x 20,5	19 x 16,5 x 16	0,005	1,10	280

HAPPY FRESH KIT

61

ABOVE-GROUND

HAPPY FRESH 7.5 M KIT

90751



Misting kit ideal for cooling down outdoor spaces on hot summer days. The kit (made up of 7.5 m of hose, 6 micro-mist nozzles, connectors and fitting clips) can easily be hooked onto sunshades, gazebos and parasols and connected to the tap (using an extension hose fitting that is not provided). The micro-mist sprayers, with brass nozzles, release a vapour of microscopic drops of water into the air, which allow the atmosphere to be cooled by up to 6°. The system can be automatically activated by adding the Aquauno Mist timer (not included). Operating pressure: 3-6 bar.

CONTAINS			
Hose	7,5 m	Spring clips to fasten hose	11
In-line micro-mist nozzles	5	3/4" thread male connector	1
End-of-line micro-mist nozzle	1	Connector for hose with washable filter	1
Clips + screws to fasten hose	11 + 11		

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet
90751		4	30 x 30,5 x 44	39 x 39 x 19	0,029	3,00	96

HAPPY FRESH 12 M KIT

90752



Misting kit ideal for cooling down outdoor spaces on hot summer days. The kit (made up of 12 m of hose, 9 micro-mist nozzles, connectors and fitting clips) can easily be hooked onto sunshades, gazebos and parasols and connected to the tap (using an extension hose fitting that is not provided). The micro-mist sprayers, with brass nozzles, release a vapour of microscopic drops of water into the air, which allow the atmosphere to be cooled by up to 6°. The system can be automatically activated by adding the Aquauno Mist timer (not included). Operating pressure: 3-6 bar.

CONTAINS			
Hose	12 m	Spring clips to fasten hose	17
In-line micro-mist nozzles	8	3/4" thread male connector	1
End-of-line micro-mist nozzle	1	Connector for hose with washable filter	1
Clips + screws to fasten hose	17 + 17		

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet
90752		1	29,5 x 30,5 x 7,5	29,5 x 30,5 x 7,5	0,007	0,97	108

HAPPY FRESH 12 M KIT WITH AQUAUNO MIST TIMER

90753




Misting kit ideal for cooling down outdoor spaces on hot summer days. The kit (made up of 12 m of hose, 9 micro-mist nozzles, connectors and fitting clips) can easily be hooked onto sunshades, gazebos and parasols. The micro-mist sprayers, with brass nozzles, release a vapour of microscopic drops of water into the air, which allow the atmosphere to be cooled by up to 6°. The kit also includes the battery-powered Aquauno Mist timer, which automatically turns on the cooling system at regular intervals. Operating pressure: 3-6 bar.

CONTAINS							
Hose	12 m	Spring clips to fasten hose	17				
In-line micro-mist nozzles	8	3/4" thread male connector	1				
End-of-line micro-mist nozzle	1	Connector for hose with washable filter	1				
Clips + screws to fasten hose	17 + 17	Aquauno Mist timer	1				

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet
90753		1	29,5 x 30,5 x 7,5	29,5 x 30,5 x 7,5	0,007	1,40	108


POS Claber



9094 – Above-ground informative panel



9200 – Drip irrigation informative panel



9201 – Underground informative panel

Claber panels



PUB009202 – Above-ground panel



PUB009203 – Drip irrigation panel



PUB009204 – Underground panel



In & out
2021 catalogue



In & out 2021 catalogue

CODE	DESCRIPTIONS	PAGE	EAN	
ABOVE-GROUND IRRIGATION				
85920000	1"-3/4" ANGLED TAP CONNECTOR	17	8000625085927	NEW
90480000	TOP BLACK HOSE Ø 3/4" M.25	63	8000625090488	NEW
93400000	TOP-LIGHT HOSE 10 MT	75	8000625093403	NEW
93410000	TOP-LIGHT HOSE 15 MT	75	8000625093410	NEW
93420000	TOP-LIGHT HOSE 25 MT	75	8000625093427	NEW
96050000	1/2" F THREADED METAL TAP CONNECTOR	31	8000625096053	NEW
96080000	1/2" M THREADED METAL ADAPTOR	32	8000625096084	NEW
96090000	3/4" M THREADED METAL ADAPTOR	32	8000625096091	NEW
96190000	BASIC METAL PISTOL	34	8000625096190	NEW
96230000	IMPACT METAL SPIKE	35	8000625096237	NEW
HAPPY FRESH RANGE				
907510000	KIT HAPPY FRESH 7,5 M	61	8000625907519	NEW
907520000	KIT HAPPY FRESH 12 M	61	8000625907526	NEW
907530000	KIT HAPPY FRESH 12 M + MIST	61	8000625907533	NEW
84960000	AQUAUNO MIST	61	8000625084968	NEW



In & out 2021 catalogue

CODE	DESCRIPTIONS	PAGE	EAN	
DRIP IRRIGATION				
903760000	TRIPLY 7,5 M	95	8000625903764	NEW
903770000	TRIPLY 15 M	95	8000625903771	NEW
907590000	KIT DRIP PLUS 25 POTS	110	8000625907595	NEW
80590000	OASIS EVOLUTION DRIPPERS (5PCS)	117	8000625080595	NEW
UNDERGROUND IRRIGATION				
908580000	BRACKET COUPLING FOR Ø 20 MM HOSE (BAG 2 PCS)	145	8000625908585	NEW
MERCHANDISING				
95560000	ESPO TOP-LIGHT	155		NEW
PUB0092020000	ABOVE-GROUND PANEL	157		NEW
PUB0092030000	DRIP IRRIGATION PANEL	157		NEW
PUB0092040000	UNDERGROUND PANEL	157		NEW



In & out 2021 catalogue

CODE	DESCRIPTIONS	PAGE	EAN
LIMITED STOCK 2021			
89140000	METAL COMPACT HOSE CART	47	8000625089147 LIMITED STOCK
89260000	CARRY CART COMFORT	59	8000625089260 LIMITED STOCK
89270000	COMFORT BAG	59	8000625089277 LIMITED STOCK
80550000	IDRIS	116	8000625080557 LIMITED STOCK

CODE	DESCRIPTIONS	PAGE	EAN
OUT OF 2021 CATALOGUE			
90850000	ELEGANT MULTIFUNCTION SPRAY LANCE		8000625090853 OUT
85500000	KIT PRECISION ERGOG RIP		8000625085507 OUT
87440000	COMPACT-18 SUPER METAL		8000625087440 OUT
89790000	AIRON-INOX HOSE CART		8000625089796 OUT
90870000	DUPLEX SHOWER 2 IN 1		8000625090877 OUT
87780000	AUTOSET WIPPY CAR		8000625087785 OUT
84140000	AQUAUNO PRATICO PLUS		8000625084142 OUT
992230000	SELF-REGULATING DRIPPER ON SPIKE (LOOSE)		8000625992232 OUT
80150000	METEOCOMETA 4		8000625080151 OUT
81050000	METEOPRAGMA 8		8000625081059 OUT



2020/21

NEW PRODUCTS

Thank you