

AQUAMASTER

The main feature of the new range of Aquamaster connectors and accessories is their distinctive large diameter. Designed for 3/4" and 1" hoses, they ensure that more water can pass through, supporting high pressures. Ideal for professional applications such as agriculture and construction, the Aquamaster range is often the best solution in the garden, too: from its use with suction pumps to hoses of a longer length. It offers a high flow rate and a tight seal, thanks to the Safety-Lock rapid coupling technology.



AQUAMASTER

High flow rate and tight seal

CREATED FOR
LARGE DIAMETER HOSES

HIGH FLOW RATE
TESTED UP TO 10 BARS

INNOVATIVE SAFETY-LOCK
TECHNOLOGY

TIGHT SEAL
AND EASY COUPLING



**1" - 3/4" MAX-FLOW
TAP CONNECTOR****9641**

Multi-threaded tap connector to attach a line with Max-Flow couplings to the tap. It is complete of washer. Female 1" (26 - 34 mm) thread and 3/4" (20 - 27 mm) adaptor.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
9641		8	7,9 x 15,7 x 4,2	25 x 19 x 10	0,005	0,43	1152	

**1"1/4 - 1" MAX-FLOW
TAP CONNECTOR****9655**

Multi-threaded tap connector to attach a line with Max-Flow couplings to the tap. Complete with washer. Female 1" 1/4 (33-42 mm) thread and 1" (26-34 mm) adaptor.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
9655		6	7,9 x 15,7 x 5,8	25 x 19 x 10	0,005	0,48	864	

**3/4" M THREADED
MAX-FLOW ADAPTOR****9642**

Threaded connector for fitting any accessory with a F 3/4" (20-27 mm) thread to the Max-Flow system.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
9642		10	7,9 x 15,7 x 2,8	25 x 19 x 10	0,005	0,36	1140	

**1" M THREADED
MAX-FLOW ADAPTOR****9654**

Threaded connector for fitting any accessory with a F 1" (26-34 mm) thread to the Max-Flow system.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
9654		10	7,9 x 15,7 x 3,6	25 x 19 x 10	0,005	0,44	1440	



2-WAY MAX-FLOW CONNECTOR**9643**

Connector for joining together in series two hoses with Max-Flow couplings installed on the ends.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
9643		10	7,9 x 15,7 x 3,5	25 x 19 x 10	0,005	0,41	1140	

2-WAY CONNECTOR MAX-FLOW TO STANDARD**9644**

Connector for joining together in series two hoses with a Max-Flow coupling and a Quick-Click automatic coupling installed respectively on the ends.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
9644		10	7,9 x 15,7 x 3,5	25 x 19 x 10	0,005	0,37	1140	

3-WAY MAX-FLOW CONNECTOR**9645**

Three-way connector splitting the irrigation line and directing the water to two different points. Connect three lengths of hose with Max-Flow couplings on the ends.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
9645		10	7,9 x 15,7 x 2,6	25 x 19 x 10	0,005	0,61	1140	

3-WAY CONNECTOR MAX-FLOW TO STANDARD**9646**

Three-way connector splitting the irrigation line and directing the water to two different points. Connect one length of hose with a Max-Flow coupling to two lengths of hose with Quick-Click automatic couplings.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
9646		10	7,9 x 15,7 x 2,6	25 x 19 x 10	0,005	0,46	1140	

MAX-FLOW O-RING AND WASHERS SET**9657**

Spare o-rings, 1" and 3/4" washers for products in the Max-Flow range.

It includes:

- 3 Max-Flow O-rings,
- 2 standard O-rings,
- 1 x 1" (26-34 mm) washer,
- 1 x 3/4" (20-27 mm) washer.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
9657		10	7,9 x 15,7 x 1,0	25 x 19 x 10	0,005	0,16	1440	

3/4" MAX-FLOW COUPLING**9647**

Max-Flow coupling for 3/4" (19 mm) hoses.
A perfectly watertight connection and seal with Safety Lock.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
9647		8	7,9 x 15,7 x 2,6	25 x 19 x 10	0,005	0,58	1152	

1" MAX-FLOW COUPLING**9650**

Max-Flow coupling for 1" (25 mm) hoses.
A perfectly watertight connection and seal with Safety Lock.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
9650		6	7,9 x 15,7 x 3,5	25 x 19 x 10	0,005	0,55	864	

3/4" MAX-FLOW MENDER**9648**

A mender to save a damaged hose: cut the hose at the point where the leak is and use it to join the two lengths together. For 3/4" (19 mm) hoses.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
9648		8	7,9 x 15,7 x 4,3	25 x 19 x 10	0,005	0,57	1152	

3/4" - 1" MAX-FLOW MENDER**9649**

A mender for joining together two hoses, one with a diameter of 3/4" (19 mm) and one 1" (25 mm), without needing any other accessories.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
9649		6	7,9 x 15,7 x 5,3	25 x 19 x 10	0,005	0,57	864	

1" MAX-FLOW MENDER**9651**

A mender to save a damaged hose: cut the hose at the point where the leak is and use it to join the two lengths together. For 1" (25 mm) hoses.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
9651		6	7,9 x 15,7 x 5,3	25 x 19 x 10	0,005	0,65	864	

MAX-FLOW ADJUSTABLE NOZZLE

9652



Nozzle with adjustable pattern, from jet to wide cone spray. For use with Max-Flow couplings.



code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	barcode
9652		6	7,9 x 24 x 4,2	28 x 25 x 13	0,009	0,70	432	8 000625 096527

MAX-FLOW STARTER KIT 3/4" (19 mm)

9656



Max-Flow accessories kit for 3/4" (19 mm) hose. The kit includes: 1" (26-34 mm) tap connector with 1" - 3/4" (20-27 mm) adapter, 3/4" (19 mm) couplings and spray nozzle.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	barcode
9656		5	15,4 x 24 x 4,5	28 x 25 x 19	0,013	1,30	240	8 000625 096565

CODE		8609	9647
DESCRIPTION		3/4" AUTOMATIC COUPLING	3/4" MAX FLOW COUPLING
Flow rate (l/min)	1 bar	36	75
	2 bar	57	107
	3 bar	73	112
	4 bar	85	125

CODE		8617	9652
DESCRIPTION		JET SPRAY NOZZLE	MAX FLOW ADJUSTABLE NOZZLE
Pattern			
Flow rate (l/min)	1 bar	7	8
	2 bar	8	13
	3 bar	9	15
	4 bar	11	19




COMPACT AND FUNCTIONAL, IT ALLOWS YOU TO EASILY ADJUST THE JET ACCORDING TO USAGE REQUIREMENTS.

NEW FOR 2024

MASTER PRO NOZZLE

9658



Multijet spray nozzle ensuring a high volume of water.
Rustproof metal shower head plate.
Turn the head for 3 different patterns: jet, shower, mist.
For use with Max-Flow couplings.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet
9658		3	15,4 x 24 x 9	28 x 25 x 19	0,013	1,12	144



THREE DIFFERENT JETS
FOR ALL USES:
SHOWER, MIST AND JET.



ABOVE-GROUND