



# HOSES

Claber has always been at the forefront for its above-ground irrigation hoses, offering high quality and non-toxic products. These hoses are made of carefully selected, non-recycled materials with no heavy metals or phthalates, safeguarding your health and the environment. They are also all UV and algae resistant.

Handiness, endurance and great aesthetics are guaranteed: Claber can make a difference.

## TOP BLACK®

Kink-resistant hose with a special braided reinforcement that guarantees excellent stability at high water pressure; algae-resistant and UV-resistant.

The Top-Black hoses are 100% safe, as they contain no heavy metals or phthalates.



## FLEXYFORT® GREEN

Knitted hose with special kink-resistant layer: it does not twist even at high pressure. Algae-resistant and UV-resistant.

The Flexyfort Green hoses are 100% safe, as they contain no heavy metals or phthalates.



## SILVER ELEGANT® PLUS

Ultra-light braided hose that is easy to handle, flexible, algae-resistant and UV-resistant.

The Silver Elegant Plus hoses are 100% safe, as they contain no heavy metals or phthalates.



## AQUAVIVA® PLUS

Easy-to-handle hose with algae-resistant, robust and flexible lining.

The Aquaviva Plus hoses are 100% safe, as they contain no heavy metals or phthalates.



TOP-BLACK Ø 1/2"  
(12,5 mm) m 15

**9037**



code	packaging	qty	pack size (cm)	box size (cm)	volume (m <sup>3</sup> )	weight (kg)	pcs/pallet	
9037		1	Ø 38 x 9	Ø 38 x 9	0,013	1,95	78	8 000625 090372

TOP-BLACK Ø 1/2"  
(12,5 mm) m 25

**9064**



9064		1	Ø 38 x 10	Ø 38 x 10	0,025	3,20	66	8 000625 090648
------	--	---	-----------	-----------	-------	------	----	-----------------

9036		1	Ø 38 x 18	Ø 38 x 18	0,025	6,50	36	8 000625 090365
------	--	---	-----------	-----------	-------	------	----	-----------------

TOP-BLACK Ø 1/2"  
(12,5 mm) m 50

**9036**



TOP-BLACK Ø 5/8"  
(15 mm) m 15

**9040**



code	packaging	qty	pack size (cm)	box size (cm)	volume (m <sup>3</sup> )	weight (kg)	pcs/pallet	
9040		1	Ø 38 x 9	Ø 38 x 9	0,013	2,30	78	8 000625 090402

TOP-BLACK Ø 5/8"  
(15 mm) m 25

**9065**



9065		1	Ø 38 x 11	Ø 38 x 11	0,016	3,80	60	8 000625 090655
------	--	---	-----------	-----------	-------	------	----	-----------------

9043		1	Ø 38 x 20	Ø 38 x 20	0,028	7,65	30	8 000625 090433
------	--	---	-----------	-----------	-------	------	----	-----------------

TOP-BLACK Ø 5/8"  
(15 mm) m 50

**9043**



TOP-BLACK Ø 3/4"  
(19 mm) m 25

**9048**



code	packaging	qty	pack size (cm)	box size (cm)	volume (m <sup>3</sup> )	weight (kg)	pcs/pallet	
9048		1	Ø 43 x 17,5	Ø 43 x 17,5	0,032	6,92	36	8 000625 090488

TOP-BLACK Ø 3/4"  
(19 mm) m 50

**9045**



9045		1	Ø 45 x 25	Ø 45 x 25	0,050	13,50	16	8 000625 090457
------	--	---	-----------	-----------	-------	-------	----	-----------------



**FLEXYFORT GREEN Ø 1/2"**  
 (12,5 mm) m 15
**9131**

code	packaging	qty	pack size (cm)	box size (cm)	volume (m <sup>3</sup> )	weight (kg)	pcs/pallet	
9131		1	Ø 38 x 9	Ø 38 x 9	0,013	2,15	78	8 000625 091317

**FLEXYFORT GREEN Ø 1/2"**  
 (12,5 mm) m 25
**9141**

9141		1	Ø 38 x 10	Ø 38 x 10	0,015	3,50	66	8 000625 091416
------	--	---	-----------	-----------	-------	------	----	-----------------

9133		1	Ø 38 x 16	Ø 38 x 16	0,023	7,80	36	8 000625 091331
------	--	---	-----------	-----------	-------	------	----	-----------------

**FLEXYFORT GREEN Ø 1/2"**  
 (12,5 mm) m 50
**9133**
**FLEXYFORT GREEN Ø 5/8"**  
 (15 mm) m 15
**9142**

code	packaging	qty	pack size (cm)	box size (cm)	volume (m <sup>3</sup> )	weight (kg)	pcs/pallet	
9142		1	Ø 38 x 9	Ø 38 x 9	0,013	2,50	72	8 000625 091423

**FLEXYFORT GREEN Ø 5/8"**  
 (15 mm) m 25
**9145**

9145		1	Ø 38 x 11	Ø 38 x 11	0,016	4,20	60	8 000625 091454
------	--	---	-----------	-----------	-------	------	----	-----------------

9136		1	Ø 38 x 22	Ø 38 x 22	0,031	8,40	30	8 000625 091362
------	--	---	-----------	-----------	-------	------	----	-----------------

**FLEXYFORT GREEN Ø 5/8"**  
 (15 mm) m 50
**9136**
**FLEXYFORT GREEN Ø 3/4"**  
 (19 mm) m 25
**9149**

code	packaging	qty	pack size (cm)	box size (cm)	volume (m <sup>3</sup> )	weight (kg)	pcs/pallet	
9149		1	Ø 40 x 17	Ø 40 x 17	0,027	6,15	36	8 000625 091492

**FLEXYFORT GREEN Ø 3/4"**  
 (19 mm) m 50
**9138**

9138		1	Ø 45 x 25	Ø 45 x 25	0,050	12,20	16	8 000625 091386
------	--	---	-----------	-----------	-------	-------	----	-----------------

9140		1	Ø 70 x 20	Ø 70 x 20	0,098	20,50	10	8 000625 091409
------	--	---	-----------	-----------	-------	-------	----	-----------------


**FLEXYFORT GREEN Ø 1"**  
 (25 mm) m 50
**9140**

SILVER ELEGANT PLUS Ø 1/2"  
(12,5 mm) m 15**9123**

code	packaging	qty	pack size (cm)	box size (cm)	volume (m <sup>3</sup> )	weight (kg)	pcs/pallet	
9123		1	Ø 38 x 8	Ø 38 x 8	0,011	1,73	78	8 000625 091232

SILVER ELEGANT PLUS Ø 1/2"  
(12,5 mm) m 25**9124**

9124		1	Ø 38 x 11	Ø 38 x 11	0,016	2,88	66	8 000625 091249
------	--	---	-----------	-----------	-------	------	----	-----------------

SILVER ELEGANT PLUS Ø 5/8"  
(15 mm) m 15**9125**

9125		1	Ø 38 x 9	Ø 38 x 9	0,013	2,18	78	8 000625 091256
------	--	---	----------	----------	-------	------	----	-----------------

SILVER ELEGANT PLUS Ø 5/8"  
(15 mm) m 25**9126**

9126		1	Ø 38 x 13	Ø 38 x 13	0,019	3,63	60	8 000625 091263
------	--	---	-----------	-----------	-------	------	----	-----------------

9127		1	Ø 38 x 20	Ø 38 x 20	0,030	7,25	30	8 000625 091270
------	--	---	-----------	-----------	-------	------	----	-----------------

SILVER ELEGANT PLUS Ø 5/8"  
(15 mm) m 50**9127**SILVER ELEGANT PLUS Ø 3/4"  
(19 mm) m 25**9128**

9128		1	Ø 38 x 17	Ø 38 x 17	0,025	5,50	36	8 000625 091287
------	--	---	-----------	-----------	-------	------	----	-----------------

SILVER ELEGANT PLUS Ø 3/4"  
(19 mm) m 50**9129**

9129		1	Ø 45 x 25	Ø 45 x 25	0,050	11,00	16	8 000625 091294
------	--	---	-----------	-----------	-------	-------	----	-----------------




### 1/2" (12,5 mm) SILVER ELEGANT PLUS HOSE KIT 15 m

8845



Hose kit complete with:

- 15 m of 1/2" (12,5 mm) Silver Elegant Plus hose
- 3/4" (20-27 mm) multithread tap connector and 1/2" (15-21 mm) reducer
- 2 automatic couplings (one with aquastop)
- spray nozzle.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m <sup>3</sup> )	weight (kg)	pcs/pallet
8845		1	35 x 34 x 8	35 x 34 x 8	0,010	1,70	60




### 5/8" (15 mm) SILVER ELEGANT PLUS HOSE KIT 15 m

8856



Hose kit complete with:

- 15 m of 5/8" (15 mm) Silver Elegant Plus hose
- 3/4" (20-27 mm) multithread tap connector and 1/2" (15-21 mm) reducer
- 2 automatic couplings (one with aquastop)
- spray nozzle.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m <sup>3</sup> )	weight (kg)	pcs/pallet
8856		1	37,5 x 38 x 10	37,5 x 38 x 10	0,014	2,05	60



AQUAVIVA PLUS Ø 1/2"  
(12,5 mm) m 10**9120**

code	packaging	qty	pack size (cm)	box size (cm)	volume (m <sup>3</sup> )	weight (kg)	pcs/pallet	barcode
9120		1	Ø 37 x 7	Ø 37 x 7	0,01	0,98	84	8 000625 091201

AQUAVIVA PLUS Ø 1/2"  
(12,5 mm) m 15**9003**

9003		1	Ø 38 x 8	Ø 38 x 8	0,011	1,45	78	8 000625 090037
------	--	---	----------	----------	-------	------	----	-----------------

AQUAVIVA PLUS Ø 1/2"  
(12,5 mm) m 25**9004**

9004		1	Ø 38 x 11	Ø 38 x 11	0,016	2,25	66	8 000625 090044
------	--	---	-----------	-----------	-------	------	----	-----------------

AQUAVIVA PLUS Ø 5/8"  
(15 mm) m 15**9005**

9005		1	Ø 38 x 9	Ø 38 x 9	0,013	1,80	78	8 000625 090051
------	--	---	----------	----------	-------	------	----	-----------------





AQUAVIVA PLUS Ø 5/8"  
(15 mm) m 25**9006**







9006		1	Ø 38 x 11	Ø 38 x 11	0,016	3,00	60	8 000625 090068
------	--	---	-----------	-----------	-------	------	----	-----------------

AQUAVIVA PLUS Ø 3/4"  
(19 mm) m 25**9008**

9008		1	Ø 38 x 16	Ø 38 x 16	0,023	4,75	36	8 000625 090082
------	--	---	-----------	-----------	-------	------	----	-----------------



BRAIDED AND KNITTED HOSES													
	ITEM	9037	9064	9036	9040	9065	9043	9045	9048	9131	9141	9133	9142
DIAMETER (")	1/2"	1/2"	1/2"	5/8"	5/8"	5/8"	3/4"	3/4"	1/2"	1/2"	1/2"	5/8"	5/8"
DIAMETER (mm)	12,5 mm	12,5 mm	12,5 mm	15 mm	15 mm	15 mm	19 mm	19 mm	12,5 mm	12,5 mm	12,5 mm	15 mm	15 mm
LENGTH (m)	15	25	50	15	25	50	50	25	15	25	50	15	25
PRODUCT LINE	TOP - BLACK								FLEXYFORT GREEN				
QUALITY	★★★★★								★★★★★				
WARRANTY	25 years								25 years				
TYPE	braided								knitted				
HOSE CROSS-SECTION IMAGE													
NO. LAYERS	3								3				
MATERIAL	PVC + Polyester								PVC + Polyester				
MAX PRESSURE	12	12	12	12	12	12	8	8	8	8	8	8	8
BURSTING PRESSURE	36	36	36	36	36	36	25	25	24	24	24	24	24
TEMPERATURE °C	-10° / +60°								-10° / +60°				
NO PHTHALATES	✓								✓				
ALGAE-RESISTANT	✓								✓				
KINK-RESISTANT	✓								✓				
FLEXIBLE	✓								✓				
NON-TOXIC	✓								✓				

																
<b>9136</b>	<b>9149</b>	<b>9138</b>	<b>9140</b>	<b>9123</b>	<b>9124</b>	<b>9125</b>	<b>9126</b>	<b>9127</b>	<b>9128</b>	<b>9129</b>	<b>9120</b>	<b>9003</b>	<b>9004</b>	<b>9005</b>	<b>9006</b>	<b>9008</b>
5/8"	3/4"	3/4"	1"	1/2"	1/2"	5/8"	5/8"	5/8"	3/4"	3/4"	1/2"	1/2"	1/2"	5/8"	5/8"	3/4"
15 mm	19 mm	19 mm	25 mm	12,5 mm	12,5 mm	15 mm	15 mm	15 mm	19 mm	19 mm	12,5 mm	12,5 mm	12,5 mm	15 mm	15 mm	19 mm
50	25	50	50	15	25	15	25	50	25	50	10	15	25	15	25	25
<b>FLEXYFORT GREEN</b>				<b>SILVER ELEGANT PLUS</b>							<b>AQUAVIVA PLUS</b>					
★★★★★				★★★★							★★★					
25 years				20 years							10 years					
knitted				braided							braided					
																
3				4							5					
PVC + Poliestere				PVC + Polyester							PVC + Polyester					
8	7	7	5	10	10	10	10	10	8	8	8	8	8	8	8	7
24	21	21	16	30	30	30	30	30	24	24	24	24	24	24	24	21
-10° / +60°				-10° / +60°							-10° / +60°					
✓				✓							✓					
✓				✓							✓					
✓				✓							✓					
✓				✓							✓					
✓				✓							✓					