


UNDERGROUND ACCESSORIES

Valve boxes, pipes, connectors and accessories: there are the different components that make up an underground system. Claber means quality, durability and reliability in every detail, to ensure that your plants and lawn are always watered efficiently, at the right time and without wasting water. The Claber range also includes a sensor that stops the irrigation programme when it rains and then resumes it when the good weather returns, saving precious water.



ACCESSORIES


Everything you need

T 1" (26-34 mm) F. x 1" (26-34 mm)
F. x 1" (26-34 mm) M.

90808



For connecting solenoid valves in series; o-ring seal.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet
90808		10	15 x 4,5 x 13	10 x 39 x 13	0,005	1,21	1200




1" (26-34 mm) F.
x 1" (26-34 mm) M. ELBOW

90807



For connecting a solenoid valve; o-ring seal.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet
90807		10	15 x 5 x 16	10 x 39 x 13	0,005	0,94	1200





1"(26-34 mm) F.
x 1"(26-34 mm) M. COUPLING

90803



Coupling for connection to solenoid valves; o-ring seal.



code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90803		10	15 x 4,4 x 13	10 x 39 x 13	0,005	0,72	1200	 8 000625 908035

DRAINAGE VALVE

90910



For automatic circuit draining. Especially useful in areas with cold winters. Bronze with 1/2" (15-21 mm) male thread and 3/4" (20-27 mm) adaptor. Header bag of 1 pc.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90910		15 x 1	8 x 13 x 2	10 x 39 x 13	0,005	1,10	1800	 8 000625 909100



3/4" F (20-27 mm)
x 3/4" F (20-27 mm) ELBOW

90709



1" F (26-34 mm)
x 1" F (26-34 mm) ELBOW

90710



code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	barcode
90709		20	Ø 5,2 x 5,2 x 3,6	10 x 39 x 13	0,005	0,75	2400	8 000625 907090
90710		20	Ø 6,2 x 6,2 x 4,4	10 x 39 x 13	0,005	1,07	2400	8 000625 907106

1/2" F (15-21 mm) x
1/2" F (15-21 mm) COUPLING

90707



3/4" F (20-27 mm) x
3/4" F (20-27 mm) COUPLING

90706



1" F (26-34 mm)
x 1" F (26-34 mm) COUPLING

90708



code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	barcode
90707		40	Ø 3,9 x 3,9 x 3,1	10 x 39 x 13	0,005	0,73	4800	8 000625 907076
90706		40	Ø 4,1 x 3,6 x 3,6	10 x 39 x 13	0,005	0,86	4800	8 000625 907069
90708		20	Ø 4,9 x 4,5 x 4,5	10 x 39 x 13	0,005	0,85	2400	8 000625 907083

3/4" F (20-27 mm) x
1/2" F (15-21 mm) COUPLING

90704



1" F (26-34 mm) x
3/4" F (20-27 mm) COUPLING

90705



code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	barcode
90704		40	Ø 4,5 x 4,5 x 4,5	10 x 39 x 13	0,005	0,93	4800	8 000625 907045
90705		20	Ø 4,0 x 3,6 x 3,6	10 x 39 x 13	0,005	0,77	2400	8 000625 907052

3/4" F (20-27 mm) T
CONNECTOR

90712



1" F (26-34 mm) T
CONNECTOR

90711



code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	barcode
90712		20	Ø 6,7 x 5,2 x 3,6	10 x 39 x 13	0,005	0,94	2400	8 000625 907120
90711		20	Ø 8,1 x 6,3 x 4,4	20 x 39 x 13	0,010	1,57	1440	8 000625 907113

3/4" M (20-27 mm)
x 1/2" M (15-21 mm) NIPPLE

90703



3/4" M (20-27 mm)
x 3/4" M (20-27 mm) NIPPLE

90702



1" M (26-34 mm)
x 3/4" M (20-27 mm) NIPPLE

90701



1" (26-34 mm) M
x 1" (26-34 mm) M NIPPLE

90805



1" (26-34 mm) M
3/4" (20-27 mm) F REDUCER

90809



1/2" (15-21 mm) M
THREADED CAP

90714



3/4" (20-27 mm) M
THREADED CAP

90713



1" (26-34 mm) M
THREADED CAP

90715



1/2" FEMALE THREADED CAP

90801



3/4" FEMALE THREADED CAP

90802



	1/2" M (15-21 mm) x 3/4" M (20-27 mm)	3/4" M (20-27 mm) x 3/4" M (20-27 mm)	3/4" M (20-27 mm) x 1" M (26-34 mm)	1" M (26-34 mm) x 1" M (26-34 mm)				
	90703	90702	90701	90805				
code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90703		40	Ø 4,3 x 2,6 x 2,6	10 x 39 x 13	0,005	0,58	4800	8 000625 907038
90702		40	Ø 4,4 x 2,6 x 2,6	10 x 39 x 13	0,005	0,63	4800	8 000625 907027
90701		40	Ø 4,7 x 3,5 x 3,5	10 x 39 x 13	0,005	0,86	4800	8 000625 907014
90805		40	Ø 5 x 3,5 x 3,5	10 x 39 x 13	0,005	0,94	4800	8 000625 908059

	1" M (26-34 mm) x 3/4" F (20-27 mm)							
	90809							
code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90809		30	3,6 x 3,0 x 3,6	10 x 39 x 13	0,005	0,48	3600	8 000625 908097

	1/2" M (15-21 mm)	3/4" M (20-27 mm)	1" M (26-34 mm)					
	90714	90713	90715					
code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90714		20	Ø 2,8 x 2,1 x 2,1	10 x 39 x 13	0,005	0,42	2400	8 000625 907144
90713		40	Ø 3 x 2,7 x 2,7	10 x 39 x 13	0,005	0,53	4800	8 000625 907137
90715		40	Ø 3,5 x 3,5 x 3,5	10 x 39 x 13	0,005	0,76	4800	8 000625 907151

	1/2" F (15-21 mm)	3/4" F (20-27 mm)						
	90801	90802						
code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90801		20x2	1,9 x 2,7 x 2,7	10 x 39 x 13	0,005	0,40	4800	8 000625 908011
90802		20x2	2,3 x 3,3 x 3,3	10 x 39 x 13	0,005	0,52	4800	8 000625 908028

NEW FOR 2024

UNDERGROUND IRRIGATION

NEW FOR 2024

Ø 3/4" (20-27 mm) - 1/2" (15-21 mm)
THREADED EXTENSION

90721



For fitting sprinklers to the polyethylene tubes (with compression connectors).
Can be cut to the height desired.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90721		50	11,3 x 15 x 3	20 x 39 x 13	0,010	1,46	3600	8 000625 907212

NEW FOR 2024

Ø 3/4" (20-27 mm) - 3/4" (20-27 mm)
THREADED EXTENSION

90722



For fitting sprinklers to the polyethylene tubes (with compression connectors).
Can be cut to the height desired.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90722		50	14,6 x 15 x 3	20 x 39 x 13	0,010	1,74	3600	8 000625 907229

NEW FOR 2024

Ø 1/2" (15-21 mm) - 1/2" (15-21 mm)
THREADED EXTENSION

90720



For fitting sprinklers to the polyethylene tubes (with compression connectors).
Can be cut to the height desired.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90720		50	10,5 x 15 x 2,5	20 x 39 x 13	0,010	1,37	3600	8 000625 907205

FLEXIBLE EXTENSION Ø 3/4"
(20-27 mm) - 3/4" (20-27 mm)

90747



For installation of pop-up sprinklers and turbines with bracket couplings, T-connectors, elbow connectors with female elbows.
Handy when soil settles or for reaching restricted points like corners of a garden or pavement edges. Length: 35 cm. Header bag of 1 pc.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90747		8	8 x 33 x 2,5	10 x 39 x 13	0,005	0,75	960	8 000625 907472

FLEXIBLE EXTENSION Ø 3/4"
(20-27 mm) - 1/2" (15-21 mm)

90746



For installation of pop-up sprinklers and turbines with bracket couplings, T-connectors, elbow connectors with female elbows.
Handy when soil settles or for reaching restricted points like corners of a garden or pavement edges. Length: 35 cm. Header bag of 1 pc.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90746		8	8 x 33 x 2,5	10 x 39 x 13	0,005	0,75	960	8 000625 907465

BRACKET COUPLING FOR Ø 32 mm HOSE

90276



For installing a sprinkler on the main line without cutting the tube. Header bag of 2 pcs.

BRACKET COUPLING FOR Ø 25 mm HOSE

90450



BRACKET COUPLING FOR Ø 20 mm HOSE

90858



3/4" (20-27 mm) F



90276

3/4" (20-27 mm) F



90450

1/2" (15-21 mm) F



90858

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	barcode
90276		7 x 2	21 x 5 x 19	20 x 39 x 13	0,010	1,70	504	8 000625 902767
90450		8 x 2	20 x 4 x 16,5	20 x 39 x 13	0,010	1,24	576	8 000625 904501
90858		10 x 2	15 x 13 x 3,5	20 x 39 x 13	0,010	1,20	720	8 000625 908585

Ø 1" (26-34 mm) F MANUAL VALVE

90917



Single-ring female/female Ø 1" (26-34 mm) manual valve for closing water line before the solenoid valves for inspection and maintenance.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	barcode
90917		5	14,5 x 7 x 17	10 x 39 x 13	0,005	0,99	600	8 000625 909179

Ø 3/4" (20-27 mm) F MANUAL VALVE

90918



Single-ring female/female Ø 3/4" (20-27 mm) manual valve for closing water line before the solenoid valves for inspection and maintenance.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	barcode
90918		5	19 x 7 x 15	10 x 39 x 13	0,005	0,97	600	8 000625 909186

CIRCUIT FILTER

90919



Polypropylene filter with 1" (26-34 mm) double male thread filter cartridge made from 120 mesh stainless steel wire netting. Maximum flow 5 m³/h. Operating pressure from 0,5 to 8 bar.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	barcode
90919		3	15 x 8 x 26	20 x 39 x 13	0,010	0,79	216	8 000625 909193

NEW FOR 2024

HYDRANT VALVE BOX

90520



Circular valve box with hinged cover, shaped to allow the hose to pass through. Connects to underground system with one of the two 3/4" F threaded outlets located underneath and to the side. Plug with OR provided to lock the unused outlet. Inside there is a metal 3/4" M metal ball valve, for easy connection of a flexible hose. Holes on the base to allow water to drain.



A mm	B mm	H mm
Ø 210		140



code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet
90520		3	21 x 14 x 21	39 x 19 x 39	0,028	2,93	72



CIRCULAR VALVE BOX

90500



Circular valve box with snap closure lid. Lateral openings at the base. It contains 1 valve.



A mm	B mm	H mm
Ø 290		250



code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet
90500		1	29 x 25 x 32	29 x 25 x 31	0,023	1,20	



RECTANGULAR VALVE BOX


90515



Rectangular valve box with tamper-proof lid. Resistant to high and low temperatures and UV radiation. It contains 4 valves.



A mm	B mm	H mm
400	510	310



code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet
90515		1	40 x 51 x 31	40 x 50 x 31	0,062	3,30	



RECTANGULAR VALVE BOX


90510



Rectangular valve box with tamper-proof lid. Resistant to high and low temperatures and UV radiation. It contains 5 valves.



A mm	B mm	H mm
500	640	310



code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet
90510		1	50 x 64 x 31	50 x 64 x 31	0,099	7,42	



QUICK-CLICK STANDPIPE

90930



Complete with bayonet rod featuring male Quick-Click connector for connecting the hoses in all garden corners. Automatic opening and shut-off valve. 3/4" (20-27 mm) male threaded for connection to bracket.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet
90930		4	15 x 8 x 22	20 x 39 x 13	0,010	1,39	288



SPARE ROD FOR QUICK COUPLING VALVE INLET

90929



Bayonet rod featuring male Quick-Click connector for connecting hoses to every corner of the garden. Header bag of 1 pc.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet
90929		5	14 x 24 x 4	20 x 39 x 13	0,010	0,80	360



UNDERGROUND IRRIGATION

COMPRESSION CONNECTORS AND PIPES

Available in 20, 25 and 32 mm version, the range of pipes and connectors adapts to the size of your garden for made-to-measure solutions.

These compression fittings guarantee a perfect, watertight connection, and the extensive range means you can connect up to any water outlet, branch off from the irrigation line and install any pop-up sprinklers.



Ø 20 mm PE TUBE

90372



90373



Coils of PFA6 polyethylene tube for compression connectors. Flexible. Resistant to algae formation and low temperatures.

90372 - 15 m
90373 - 25 m

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet
90372		1	Ø 46 x 7	Ø 46 x 7	0,001	1,60	8
90373		1	Ø 46 x 13	Ø 46 x 13	0,016	2,70	8

Ø 25 mm PE TUBE

90380



90385



Coils of PFA6 polyethylene tube for compression connectors. Flexible. Resistant to algae formation and low temperatures.

90380 - 25 m
90385 - 50 m

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet
90380		1	Ø 58 x 17,5	Ø 58 x 17,5	0,060	4,2	8
90385		1	Ø 58 x 25	Ø 58 x 25	0,084	8,6	8

Ø 32 mm PE TUBE

90390



90395



Coils of PFA6 polyethylene tube for compression connectors. Flexible. Resistant to algae formation and low temperatures.

90390 - 25 m
90395 - 50 m

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet
90390		1	Ø 73 x 15	Ø 73 x 15	0,063	6,60	8
90395		1	Ø 86 x 19	Ø 86 x 19	0,110	13,20	8

1" (26-34 mm) M. THREADED CONNECTOR Ø 20 mm**90318**

For connecting a polyethylene tube to a female 1" (26-34 mm) threaded water supply or solenoid valve (cod. 90812-90814).



code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90318		20	4,4 x 6,7 x 4,4	10 x 39 x 13	0,005	0,88	2400	8 000625 903184

1" (26-34 mm) F. THREADED CONNECTOR Ø 20 mm**90319**

For connecting a polyethylene tube to a 1" (26-34 mm) male threaded water supply or the connectors to the solenoid valves (cod. 90813 - 90815).



code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90319		20	4,4 x 6,9 x 4,4	10 x 39 x 13	0,005	0,93	2400	8 000625 903191

F. 3/4" (20-27 mm) - 1/2" THREADED CONNECTOR (15-21 mm) Ø 20 mm**90320**

For connecting a polyethylene tube to a 3/4" (20-27 mm) threaded tap or solenoid valve with male 3/4" (20-27 mm) or 1/2" (15-21 mm) thread.



code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90320		20	4,4 x 8,3 x 4,4	10 x 39 x 13	0,005	0,95	2400	8 000625 903207

COUPLING Ø 20 mm**90321**

For connecting two polyethylene tubes or repairing a punctured tube.



code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90321		15	4,4 x 8,9 x 4,4	10 x 39 x 13	0,005	0,87	1800	8 000625 903214

ELBOW CONNECTOR Ø 20 mm**90322**

For joining two polyethylene tubes at right angle.



code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90322		15	8 x 4,4 x 8	10 x 39 x 13	0,005	0,91	1800	8 000625 903221

T Ø 20 mm**90323**

For connecting three polyethylene tubes to create a branch off.



code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90323		10	11,7 x 8,2 x 4,4	10 x 39 x 13	0,005	0,88	1200	8 000625 903238

1/2" (15-21 mm) M. THREADED
ELBOW Ø 20 mm

90324



For connecting Colibri micro-sprinklers, Turbo-Jet, Pop-up sprinklers at the end of 20 mm main tube.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90324		20	7,15 x 6,3 x 4,4	10 x 39 x 13	0,005	0,78	2400	8 000625 903245

1/2" (15-21 mm) M. THREADED
T CONNECTOR Ø 20 mm

90325



For connecting Colibri micro-sprinklers, Turbo-Jet, Pop-up sprinklers in series to 20 mm main tube.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90325		15	11,7 x 6,4 x 4,4	10 x 39 x 13	0,005	0,98	1800	8 000625 903252

3/4" (20-27 mm) F. THREADED
ELBOW Ø 20 mm

90326



For connecting a threaded coupling or drainage valve to the end of the line.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90326		20	7,8 x 6,7 x 4,4	10 x 39 x 13	0,005	0,94	2400	8 000625 903269

END-OF-LINE PLUG Ø 20 mm

90327



For closing off one end of the polyethylene tube.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90327		20	4,4 x 4,9 x 4,4	10 x 39 x 13	0,005	0,68	2400	8 000625 903276

Ø 16 mm - Ø 20 mm
COUPLING

90328



To connect two polyethylene hoses of different diameters, Ø 16 and 20 mm.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90328		20	8,3 x 4,4 x 4,4	10 x 39 x 13	0,005	0,75	2400	8 000625 903283

Ø 20 mm WALL PLATE
ELBOW

90329



Wall plate elbow to connect a 20 mm polyethylene hose and a tap with 1/2" M fitting, creating a new water intake connected to the system. Attachment to wall with screws and plugs (not included).

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90329		10	6 x 8,8 x 7,1	10 x 39 x 13	0,005	0,72	1200	8 000625 903290

NEW FOR 2024

CONNECTOR Ø 25 mm

90424

90424 F. 3/4" (20-27 mm) THREAD For connecting a 3/4" polyethylene tube to a 3/4" (20-27 mm) male threaded tap or solenoid valve with male 3/4" (20-27 mm) thread.

90524

90524 F. 1" (26-34 mm) THREAD For connecting a polyethylene tube to a 1" (26-34 mm) male threaded water supply or the connectors to the solenoid valve (cod. 90813-90815).

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90424		15	5,2 x 8,15 x 5,2	10 x 39 x 13	0,005	0,90	1800	8 000625 904242
90524		10	5,2 x 7,7 x 5,2	10 x 39 x 13	0,005	0,68	1200	8 000625 905249

COUPLING Ø 25 mm
1" (26-34 mm) THREAD**90420**

For connecting a polyethylene tube to a female 1" (26-34 mm) threaded water supply or solenoid valve (cod. 90812-90814).

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90420		15	5,2 x 7,5 x 5,2	10 x 39 x 13	0,005	0,84	1800	8 000625 904204

COUPLING Ø 25 mm
3/4" (20-27 mm) THREAD**90421**

For connecting a polyethylene tube to a female 3/4" (20-27 mm) threaded water supply or solenoid valve.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90421		15	5,2 x 7,05 x 5,2	10 x 39 x 13	0,005	0,81	1800	8 000625 904211

COUPLING Ø 25 mm

90419

For connecting two polyethylene tubes or repairing a punctured tube.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90419		9	5,2 x 10,2 x 5,2	10 x 39 x 13	0,005	0,82	1080	8 000625 904198

ELBOW CONNECTOR
Ø 25 mm**90417**

For joining two polyethylene tubes at right angle.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90417		7	5,2 x 10 x 5,2	10 x 39 x 13	0,005	0,73	840	8 000625 904174

T Ø 25 mm CONNECTOR

90422

For connecting three polyethylene tubes to create a branch off.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90422		4	5,2 x 7,5 x 5,2	10 x 39 x 13	0,005	0,64	480	8 000625 904228

**ELBOW Ø 25 mm
F. 3/4" (20-27 mm) THREAD**
90423

For connecting a threaded coupling or drainage valve to the end of the line.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90423		12	8,9 x 7,5 x 5,2	10 x 39 x 13	0,005	0,83	1440	8 000625 904235

**T Ø 25 mm 3/4" (20-27 mm)
THREAD**
90418

For installation on main polyethylene tube after cutting and joining two tube sections. With 3/4" (20-27 mm) female thread.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90418		6	16,5 x 8,3 x 6,2	10 x 39 x 13	0,005	0,75	720	8 000625 904181

**ELBOW CONNECTOR Ø 25 mm
F. 1/2" (15-21 mm) THREAD**
90427

For installation on main polyethylene tube after cutting and joining two tube sections. Used with 1/2" (15-21 mm) threaded extension.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90427		7	5,2 x 11,5 x 5,2	10 x 39 x 13	0,005	0,75	840	8 000625 904273

END-OF-LINE PLUG Ø 25 mm
90425

For closing off one end of the polyethylene tube.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90425		15	5,2 x 5,9 x 5,2	10 x 39 x 13	0,005	0,77	1800	8 000625 904259

**Ø 20 mm - Ø 25 mm
COUPLING**
90428

To connect two polyethylene hoses of different diameters, Ø 20 and 25 mm.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90428		12	5,1 x 9,5 x 5,1	10 x 39 x 13	0,005	0,73	1440	8 000625 904280

**Ø 25 mm WALL PLATE
ELBOW**
90429

Wall plate elbow to connect a 25 mm polyethylene hose and a tap with 3/4" M fitting, creating a new water intake connected to the system. Attachment to wall with screws and plugs (not included).

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90429		10	7,5 x 11 x 8,6	20 x 39 x 13	0,010	1,13	720	8 000625 904297

CONNECTOR Ø 32 mm
F. 3/4" (20-27 mm) THREAD
90274

For connecting a polyethylene tube to a 3/4" (20-27 mm) threaded tap or solenoid valve with male 3/4" (20-27 mm) thread.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90274		10	6,2 x 7,7 x 6,2	10 x 39 x 13	0,005	0,90	1200	8 000625 902743

CONNECTOR Ø 32 mm
F. 1" (26-34 mm) THREAD
90374

For connecting a polyethylene tube to a 1" (26-34 mm) male threaded water supply or the connectors to the solenoid valves (cod. 90813-90815).

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90374		12	6,2 x 8,15 x 6,2	20 x 39 x 13	0,010	1,16	864	8 000625 903740

COUPLING Ø 32 mm
1" (26-34 mm) THREAD
90271

For connecting a polyethylene tube to a female threaded water supply or solenoid valve (cod. 90812-90814).

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90271		20	6,2 x 8,2 x 6,2	20 x 39 x 13	0,010	1,70	1440	8 000625 902712

COUPLING Ø 32 mm
90275

For connecting two polyethylene tubes or repairing a punctured tube.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90275		12	6,2 x 12 x 6,2	20 x 39 x 13	0,010	1,70	864	8 000625 902750

ELBOW CONNECTOR
Ø 32 mm
90270

For joining two polyethylene tubes at right angle.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90270		8	12 x 12 x 6,2	20 x 39 x 13	0,010	1,70	576	8 000625 902705

T Ø 32 mm CONNECTORS
90272

For connecting three polyethylene tubes to create a branch off.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90272		5	16,5 x 11 x 6,2	20 x 39 x 13	0,010	1,20	360	8 000625 902729

**ELBOW Ø 32 mm
F. 3/4" (20-27 mm) THREAD**

90273



For connecting a threaded coupling or drainage valve to the end of the line.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90273		12	10,5 x 8,1 x 6,2	20 x 39 x 13	0,010	1,30	864	8 000625 902736

**T Ø 32 mm 3/4" (20-27 mm)
THREAD**

90416



For installation on main polyethylene tube after cutting and joining two tube sections.
With 3/4" (20-27 mm) female thread.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90416		5	16,5 x 8,5 x 6,2	20 x 39 x 13	0,010	0,96	360	8 000625 904167

**ELBOW CONNECTOR Ø 32 mm
F. 3/4" (20-27 mm) THREAD**

90426



For installation on main polyethylene tube after cutting and joining two tube sections.
Used with 3/4" (20-27 mm) threaded extension.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90426		8	11,5 x 6 x 6,2	20 x 39 x 13	0,010	1,36	576	8 000625 904266

END-OF-LINE PLUG Ø 32 mm

90277



For closing off one end of the polyethylene tube.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90277		12	6,2 x 6,4 x 6,2	10 x 39 x 13	0,005	0,94	1440	8 000625 902774

**Ø 25 mm - Ø 32 mm
COUPLING**

90279



To connect two polyethylene hoses of different diameters, Ø 25 and 32 mm.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90279		12	6,2 x 11 x 6,2	20 x 39 x 13	0,010	1,43	864	8 000625 902798