

claber

NEW FOR
2024



INDEX



MAX-FLOW STARTER KIT 3/4" (19 mm)	4
MASTER PRO NOZZLE	5
1/2" METAL OUTDOOR TAP	6
1/2" METAL OUTDOOR TAP WITH DOUBLE OUTLET	7
BASIC METAL MULTIFUNCTION PISTOL	8
METAL-JET TELESCOPIC MULTIFUNCTION LANCE	9
TWIDDY	10
MYAQUASOLAR	12
QUICK-CLICK CONNECTOR FOR 1/2"(13-16 mm) HOSE	14
HYDRANT VALVE BOX	15
WALL PLATE ELBOW	16
LONG-JET TURBINE SPRINKLER	17
ACCESSORIES	18

claber**MAX-FLOW STARTER KIT 3/4" (19 mm)**

CODE: 9656

EAN: 8000625096565

NEW

Everything you need when using a large diameter hose. It guarantees a perfectly watertight seal and high water flow.




- ✓ LARGE DIAMETER
- ✓ PERFECTLY WATERTIGHT
- ✓ SPRAY NOZZLE WITH ADJUSTMENT CAP

DESCRIPTION

Max-Flow accessories kit for 3/4" (19 mm) hose. The kit includes: 1" (26-34 mm) tap connector with 1" - 3/4" (20-27 mm) adapter , 3/4" (19 mm) couplings and spray nozzle.

**PACKAGING**

CODE	PACKAGING	QUANTITY	WIDTH	HEIGHT	DEPTH	VOLUME	WEIGHT	PCS PER PALLET
9656		5 pcs	15,4 cm	24 cm	4,5 cm	0,013 m ³	1,30 kg	240 pcs

claber

MASTER PRO NOZZLE

CODE: 9658

EAN: 8000625096589

NEW

High water flow rate spray nozzle to be connected to a hose fitted with a Max-Flow coupling. It takes only a moment to turn the head and choose one of the 3 available jets.



- ✓ LARGE DIAMETER
- ✓ 3 JETS
- ✓ COMPATIBLE WITH MAX-FLOW COUPLINGS

DESCRIPTION

Multijet spray nozzle ensuring a high volume of water. Rustproof metal shower head plate. Turn the head for 3 different patterns: jet, shower, mist. For use with Max-Flow couplings.



PACKAGING



CODE	PACKAGING	QUANTITY	WIDTH	HEIGHT	DEPTH	VOLUME	WEIGHT	PCS PER PALLET
9658		3 pcs	15,4 cm	24 cm	9 cm	0,013 m ³	1,12 kg	144 pcs

claber

1/2" METAL OUTDOOR TAP

CODE: 9624

EAN: 8000625096244

NEW

Robust, shiny outside tap in chrome-plated brass.




- ✓ CHROME PLATING RESISTANT TO BAD WEATHER
- ✓ PERFECTLY WATERTIGHT

DESCRIPTION

Chrome-plated brass outdoor tap with 1/2" M (15-21 mm) inlet. Adjustment lever with rubber grip for easy hold even with wet hands. 3/4" M (20-27 mm) threaded outlet with removable Quick-Click fitting.

PACKAGING

CODE	PACKAGING	QUANTITY	WIDTH	HEIGHT	DEPTH	VOLUME	WEIGHT	PCS PER PALLET
9624		5 pcs	14,5 cm	12 cm	3 cm	0,005 m ³	1,45 kg	500 pcs

claber

1/2" METAL OUTDOOR TAP WITH DOUBLE OUTLET

CODE: 9625

EAN: 8000625096251

NEW

Made of chrome-plated brass, this tap allows the direct connection of a second line, adjusting its flow independently.



- ✓ CHROME PLATING RESISTANT TO BAD WEATHER
- ✓ PERFECTLY WATERTIGHT
- ✓ INDEPENDENT ADJUSTMENT ON THE 2 LINES

DESCRIPTION

Chrome-plated brass outdoor tap with 1/2" M (15-21 mm) inlet. Adjustment lever with rubber grip for easy hold even with wet hands. 3/4" M (20-27 mm) threaded outlet with removable Quick-Click fitting. Features a second outlet with 3/4" M (20-27 mm) thread and independent adjustment knob for using a second line.

PACKAGING

CODE	PACKAGING	QUANTITY	WIDTH	HEIGHT	DEPTH	VOLUME	WEIGHT	PCS PER PALLET
9625		5 pcs	16 cm	12 cm	5,3 cm	0,005 m ³	2,14 kg	500 pcs



BASIC METAL MULTIFUNCTION PISTOL

CODE: 9618

EAN: 8000625096183

NEW

Multipurpose pistol for all watering and washing requirements. Made of strong, shiny chrome-plated metal, practical and easy to use.



- ✓ CHROME PLATING RESISTANT TO BAD WEATHER
- ✓ ERGONOMIC DESIGN
- ✓ JET ADJUSTMENT LEVER WITH LOCK
- ✓ 7 DIFFERENT JETS

DESCRIPTION

Multifunction pistol in chrome-plated metal. Flow adjustment lever and lock for desired jet. Turn the ring nut for 7 different patterns (shower, jet, mist, gentle soaker, fan, flat, cone). Quick-Click coupling.

PACKAGING

CODE	PACKAGING	QUANTITY	WIDTH	HEIGHT	DEPTH	VOLUME	WEIGHT	PCS PER PALLET
9618		4 pcs	14,5 cm	21,5 cm	5,7 cm	0,008 m ³	1,32 kg	224 pcs

claber**METAL-JET TELESCOPIC MULTIFUNCTION LANCE**

CODE: 9626

EAN: 8000625096268

NEW

Durability and comfort in use take first place with this spray nozzle with a chrome metal extension, to easily spray even the hardest to reach places.




- ✓ CHROME PLATING RESISTANT TO BAD WEATHER
- ✓ ERGONOMIC DESIGN
- ✓ 4 DIFFERENT JETS

DESCRIPTION

Multijet spray nozzle with chrome metal long reach handle. Length: 70 cm. Rubber ergonomic grip. Rustproof metal shower head plate. Water flow adjustment lever and lock for the jet. Turn the ring nut for 4 different spray patterns: shower, jet, aerated, mist.

PACKAGING

CODE	PACKAGING	QUANTITY	WIDTH	HEIGHT	DEPTH	VOLUME	WEIGHT	PCS PER PALLET
9626		2 pcs	14,5 cm	76 cm	7 cm	0,012 m ³	1,45 kg	96 pcs

TWIDDY

Practical, light, convenient... we could go on, but it's when you turn on the tap that Twiddy outdoes itself. Because Claber's new extendable hose doubles in length when water passes through it, to reach any point you want. It can be handled without ever getting twisted, thanks to the special technology and the anti-kink fittings.

Pleasant to the touch, Twiddy exceeds all expectations.



 **2X EXTENDABLE**

TWIDDY
Exceeding all expectations

ULTRALIGHT
AND COMPACT

QUICK-CLICK
FITTINGS WITH
ANTI-KIK END



COMES WITH MULTIJET
SPRAY NOZZLE

In Claber's distinctive colours, Twiddy is the innovative extendable hose that's 100% Made in Italy. The ideal solution for those looking for a space-saving hose. Complete with spray nozzle and couplings to attach directly to the tap connector.



- ✓ COMPLETE SPACE-SAVING SET
- ✓ 2X EXTENDIBLE
- ✓ SPRAY NOZZLE FEATURING 5 JETS
- ✓ NON-KNOT AND KINK-RESISTANT

15 m
CODE: 9336
EAN: 8000625093366
25 m
CODE: 9337
EAN: 8000625093373

DESCRIPTION

Extendable hose with accessories. As water flows through the hose, it extends to up to twice its length at the ideal pressure of 3 bar: 9336 max. length 15 m, 9337 max. length 25 m. After use it shrinks back by itself to its original size. Super-light, it's ideal for non-intensive uses like camping, sailing, gardens and terraces. Quick-Click fittings with anti-kink flexible end for easy use in any direction. Resistant to UV rays. Multifunction spray nozzle featuring 5 patterns: shower, jet, mist, cone and flat (+ 1 OFF). Working temperature from -10 to + 50°C. Max. working pressure: 5 bar.

PACKAGING

CODE	PACKAGING	QUANTITY	WIDTH	HEIGHT	DEPTH	VOLUME	WEIGHT	PCS PER PALLET
9336		6 pcs	27 cm	19 cm	13 cm	0,046 m ³	6,75 kg	96 pcs
9337		4 pcs	27 cm	19 cm	18 cm	0,046 m ³	6,61 kg	64 pcs

MYAQUASOLAR

myAquaSolar is the first and only smart timer that, thanks to its latest-generation photovoltaic panel, works without batteries and without needing direct, constant exposure to the sun. Indirect light is enough to power the timer perfectly.


myAquaSolar is available in versions with one or two irrigation lines and can be conveniently programmed right from your smartphone via Bluetooth®, using the intuitive myAquaSolar app.



MYAQUASOLAR

Naturally innovative


NO BATTERY
100% SOLAR ENERGY



SMART
PROGRAMMING
WITH THE
MYAQUASOLAR APP

GET IT ON
Google Play

DOWNLOAD ON THE
Apple Store



myAquaSolar

FREE DOWNLOAD WITH NO SUBSCRIPTION COSTS,
AVAILABLE FOR SMARTPHONES.

The first battery-free tap timer totally powered by solar energy. Very easy to program with myAquaSolar app.



TEMPO (ONE-WAY)

CODE: 8497

EAN: 8000625084975



DUAL (TWO-WAYS)

CODE: 8498

EAN: 8000625084982

- ✓ CUSTOMISED PROGRAMMING
- ✓ MANUAL MODE
- ✓ WEEKLY PROGRAMMING
- ✓ CAN BE CONNECTED TO RAIN SENSOR

DESCRIPTION

Automatic water timer. Equipped with a built-in photovoltaic panel, this timer is powered by solar energy even without the panel being exposed directly to sunlight. No batteries required. Easy programming with Bluetooth® technology and Claber myAquaSolar app. 2 fully customisable programmes per line. Button to turn off the timer and start manual function (that can also be activated from app). Weekly watering cycles may also be programmed with the exception of the days you wish to omit. Electronic components fully insulated. 3/4" (20-27 mm) tap connector with pivoting ring nut. Washable filter. Operating pressure 0,5 - 10 bar. Can be connected to standard Rain Sensor (90915). 100% checked and tested.

PACKAGING

CODE	PACKAGING	QUANTITY	WIDTH	HEIGHT	DEPTH	VOLUME	WEIGHT	PCS PER PALLET
8497		2 pcs	11,8 cm	21 cm	11,5 cm	0,009 m ³	1,25 kg	144 pcs
8498		2 pcs	15 cm	21 cm	11,5 cm	0,008 m ³	1,70 kg	160 pcs

claber**QUICK-CLICK CONNECTOR FOR 1/2" (13-16 mm) HOSE**

CODE: 91070

EAN: 8000625910700

NEW


Join two tubes together in a flash, connecting a drip-irrigation line and a hose in a versatile way, with a perfectly watertight seal.

- ✓ PERFECTLY WATERTIGHT
- ✓ DESIGNED FOR DIY

**DESCRIPTION**

Connector for joining two hoses in series: one for drip irrigation 1/2" (13-16 mm) and one hose with a Quick-Click automatic coupling on the end.

PACKAGING

CODE	PACKAGING	QUANTITY	WIDTH	HEIGHT	DEPTH	VOLUME	WEIGHT	PCS PER PALLET
91070		15 pcs	7,9 cm	15,7 cm	2 cm	0,005 m ³	0,40 kg	2160 pcs

Connecting a flexible garden hose to the underground system has never been so easy thanks to this valve box with built-in tap



- ✓ COMPACT AND EASY TO USE
- ✓ SHOCK-PROOF AND WEATHER RESISTANT
- ✓ EASY INSTALLATION

DESCRIPTION

Circular valve box with hinged cover, shaped to allow the hose to pass through. Connects to underground system with one of the two 3/4" F threaded outlets located underneath and to the side. Plug with OR provided to lock the unused outlet. Inside there is a metal 3/4" M metal ball valve, for easy connection of a flexible hose. Holes on the base to allow water to drain.



PACKAGING

CODE	PACKAGING	QUANTITY	WIDTH	HEIGHT	DEPTH	VOLUME	WEIGHT	PCS PER PALLET
90520		3 pcs	21 cm	14 cm	21 cm	0,028 m ³	2,93 kg	72 pcs

NEW

From the Claber range, a practical, reliable solution for "do it yourself" underground irrigation systems. This component is used to push a polythene hose onto a tap with male fitting to create a new water intake.



20 mm FIL. 1/2" F
 CODE: 90329
 EAN: 8000625903290



25 mm FIL. 3/4" F
 CODE: 90429
 EAN: 8000625904297

- ✓ PERFECTLY WATERTIGHT
- ✓ EASY INSTALLATION
- ✓ CAN BE WALL-MOUNTED

DESCRIPTION

Wall plate elbow to connect a polyethylene hose and a tap with male fitting, creating a new water intake connected to the system. Attachment to wall with screws and plugs (not included).

PACKAGING

CODE	PACKAGING	QUANTITY	WIDTH	HEIGHT	DEPTH	VOLUME	WEIGHT	PCS PER PALLET
90329		10 pcs	6 cm	8,8 cm	7,1 cm	0,005 m ³	0,72 kg	1200 pcs
90429		10 pcs	7,5 cm	11 cm	8,6 cm	0,010 m ³	1,13 kg	720 pcs



LONG-JET TURBINE SPRINKLER

CODE: 90478

EAN: 8000625904785

NEW FEATURES

Operating reliability, versatility and silence in a tailored product for large-sized gardens. The interchangeable nozzles allow you to vary the jet range and jet flow.



- ✓ ADJUSTABLE AREA AND JET RANGE
- ✓ 9 INTERCHANGEABLE NOZZLES
- ✓ WATER CONSUMPTION REDUCED UP TO 30%
- ✓ EVEN IRRIGATION
- ✓ FILTER AGAINST IMPURITIES



DESCRIPTION

Large jet turbine sprinkler with 9 interchangeable nozzles. Adjustable between 40° and 360° with continuous rotation. Adjustable jet with proportional reduction of the flow rate to ensure optimal uniformity of distribution and reduce consumption by up to 30%. Slits to remove any sand contained in the water. Pull-out internal filter. Silent thanks to internal lubrication. Protrudes 5" (12.5 cm) from earth. 3/4" (20-27 mm) F threaded base. Rubber cover to ensure a long product life by preventing any impurities from getting in. Provided with adjustment key. Maximum watering area 670 m².



PACKAGING

CODE	PACKAGING	QUANTITY	WIDTH	HEIGHT	DEPTH	VOLUME	WEIGHT	PCS PER PALLET
90478		8 pcs	9 cm	19,5 cm	8,5 cm	0,017 m ³	3,30 kg	384 pcs

NEW PACKAGING



THREADED EXTENSION
 \varnothing 3/4" - 1/2"
 CODE: 90721
 EAN: 8000625907212



THREADED EXTENSION
 \varnothing 3/4" - 3/4"
 CODE: 90722
 EAN: 8000625907229



THREADED EXTENSION
 \varnothing 1/2" - 1/2"
 CODE: 90720
 EAN: 8000625907205

DESCRIPTION

For fitting sprinklers to the polyethylene tubes (with compression connectors). Can be cut to the height desired. **Pack of 1 pz.**



1" M. 3/4" F. REDUCER
 CODE: 90809
 EAN: 8000625908097

DESCRIPTION

For connection of 1" (26-34 mm) solenoid valves with 3/4" (20-27 mm) couplings. **Pack of 1 pz.**

New code			Replaces old code		
90721	8000625907212	1 pc	90756	8000625907564	5 pcs
90722	8000625907229	1 pc	90765	8000625907656	5 pcs
90720	8000625907205	1 pc	90757	8000625907571	5 pcs
90809	8000625908097	1 pc	90804	8000625908042	2 pcs

PACKAGING

CODE	PACKAGING	QUANTITY	WIDTH	HEIGHT	DEPTH	VOLUME	WEIGHT	PCS PER PALLET
90721		50 pcs	11,3 cm	15 cm	3 cm	0,010 m ³	1,46 kg	3600 pcs
90722		50 pcs	14,6 cm	15 cm	3 cm	0,010 m ³	1,74 kg	3600 pcs
90720		50 pcs	10,5 cm	15 cm	2,5 cm	0,010 m ³	1,37 kg	3600 pcs
90809		30 pcs	3,6 cm	3,0 cm	3,6 cm	0,005 m ³	0,48 kg	3600 pcs

claber

I Maestri dell'Acqua

CLABER SPA
Via Pontebbana 22
33080 Fiume Veneto (PN) - Italy

Tel. +39 0434 958836
Fax +39 0434 957193
info@claber.com
www.claber.com