

TAP CONNECTORS QUICK-CLICK® SYSTEM

Claber's answer to all of your tap connection needs: threaded with different diameters, smooth or with an aerator. The Quick-Click system is the easy way to connect up your watering hoses to all standard outdoor and indoor taps in one quick click! Claber's high quality materials guarantee resistant and long-lasting connectors. Universally compatible!

1/2" (15-21 mm) THREADED TAP CONNECTOR

8622

8623


To connect automatic Quick-Click couplings to a threaded tap by simply screwing it on. Female 1/2" (15-21 mm) thread. It is complete of washer.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
8622		50	2,9 x 4,0 x 2,9	10 x 13 x 39	0,005	0,67	6000	8 000625 086221
8623		14	7,9 x 15,7 x 3,5	26,5 x 10 x 25	0,007	0,43	1344	8 000625 086238

3/4" (20-27 mm) THREADED TAP CONNECTOR

8626

8627


To connect automatic Quick-Click couplings to a threaded tap by simply screwing it on. Female 3/4" (20-27 mm) thread. It is complete of washer.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
8626		100	3,5 x 4,1 x 3,5	20 x 39 x 13	0,010	1,48	7200	8 000625 086269
8627		14	7,9 x 15,7 x 3,5	26,5 x 10 x 25	0,007	0,46	1344	8 000625 086276

1" (26-34 mm) THREADED TAP CONNECTOR

8628

8629


To connect automatic Quick-Click couplings to a threaded tap by simply screwing it on. Female 1" (26-34 mm) thread. It is complete of washer.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
8628		100	4,2 x 4,1 x 4,2	20 x 13 x 39	0,010	1,78	7200	8 000625 086283
8629		12	7,9 x 15,7 x 4,3	26,5 x 10 x 25	0,007	0,48	1152	8 000625 086290

MULTI THREADED TAP CONNECTOR 1/2" (15-21 mm) - 3/4" (20-27 mm)

8591

8804


To connect automatic Quick-Click couplings to a threaded tap by simply screwing it on. Female 3/4" (20 - 27 mm) thread and 1/2" (15 - 21 mm) adaptor. It is complete of washer.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
8591		100	3,5 x 4,8 x 3,5	20 x 13 x 39	0,010	2,10	7200	8 000625 085910
8804		14	7,9 x 15,7 x 3,5	26,5 x 10 x 25	0,007	0,57	1344	8 000625 088041

MULTI THREADED TAP CONNECTOR 1" (26-34 mm) - 3/4" (20-27 mm)

8595



8803



To connect automatic Quick-Click couplings to a threaded tap by simply screwing it on. Female 1" (26-34 mm) thread and 3/4" (20 - 27 mm) adaptor. It is complete of washer.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
8595		40	4,2 x 4,8 x 4,2	10 x 13 x 39	0,005	1,14	4800	8 000625 085958
8803		12	7,9 x 15,7 x 4,3	26,5 x 10 x 25	0,007	0,59	1152	8 000625 088034

DOUBLE TAP CONNECTOR

8598



8599



To connect 2 hoses at the same time to the tap. Includes on/off valves and washer. Easy attachment by simply screwing on. With female 3/4" (20 - 27 mm) thread and a reducer to 1/2" (15 - 21 mm) thread.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
8598		25	11,1 x 8,3 x 5,2	20 x 13 x 39	0,010	2,32	1800	8 000625 085989
8599		8	7,9 x 24 x 5	26,5 x 10 x 25	0,007	0,93	768	8 000625 085996

3/4" (20 - 27 mm) MALE THREADED TWO-WAY ADAPTER

8590



8589



For taps with 3/4" (20 - 27 mm) thread. Includes on/off valves and washer. Enables assembly of two water timers, pressure reducers, etc.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
8590		8	14,6 x 9,7 x 5,7	20 x 13 x 39	0,010	1,60	576	8 000625 085903
8589		5	7,9 x 24 x 5,3	28 x 13 x 25	0,009	1,08	360	8 000625 085897

4 OUTLETS DISTRIBUTOR

8580



8581



Converts one water tap into four outlets, each separately controlled, enabling different areas to be watered. For taps with 3/4" (20 - 27 mm) thread.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
8580		8	18,3 x 11 x 5,8	20 x 13 x 39	0,010	2,06	576	8 000625 085804
8581		5	15,4 x 24 x 5,3	28 x 19 x 25	0,013	1,55	240	8 000625 085811

1" F (26-34 mm) 3/4" M (20-27 mm) ADAPTER

8509



Converts the 3/4" (20 - 27 mm) female tap connector into a 1" (26 - 34 mm) female tap connector.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
8509		12	7,9 x 15,7 x 3,0	25 x 10 x 19	0,005	0,40	1728	8 000625 085095



CONNECTORS

Practical connectors that last.

The Quick-Click connectors offer the best in terms of practicality and durability. They are resistant to knocks, weathering and UVA rays, as well as to high pressure. The spring inside – patented by Claber – withstands up to 1.5 million clicks without breaking.

They also offer excellent compatibility as they have a standard pitch used around the world.

QUICK-CLICK® SYSTEM JUST ONE SIMPLE CLICK

TAP CONNECTORS

Connect up in a flash

EASY TO USE

ULTRA-RESISTANT MATERIALS

FOR ALL TAP TYPES



**3/4" (20-27 mm) QUICK-FIT
TAP CONNECTOR****8587**

3/4" (20-27 mm) indoor tap connector to attach a hose with a tap in the kitchen or bathroom. For taps with 22 mm male or 24 mm female thread. Connection with quick release lever clamp mechanism. Complete with metal filter-aerator and adapter. Quick-Click coupling. Fully watertight connection.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
8587		10	7,9 x 15,7 x 4,3	26,5 x 10 x 25	0,007	0,83	960	8 000625 085873

**3/4" (20-27 mm)
TAP CONNECTOR METAL****8597**

3/4" (20-27 mm) indoor tap connector. For taps with 22 mm male or 24 mm female thread. Complete with adapter. Quick-Click coupling. Fully watertight connection.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
8597		14	7,9 x 15,7 x 3,5	26,5 x 10 x 25	0,007	1,15	1344	8 000625 085972

SMOOTH TAP CONNECTOR**8525**

For taps with round spouts (ext. Ø min. 15 max. 20 mm). With metal clip to fasten it safely to the tap. Quick-Click coupling.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
8525		10	7,9 x 15,7 x 4,5	26,5 x 10 x 25	0,007	0,93	960	8 000625 085255

KOALA QUICK-CLICK**8583**

Square and mixer taps connector ideal to bring water from indoor taps to balconies not provided with any water outlets. Easy to install and perfectly watertight. Quick-Click coupling.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
8583		8	7,9 x 24 x 5,2	26,5 x 10 x 25	0,007	1,05	768	8 000625 085835

**1" - 3/4" ANGLED
TAP CONNECTOR****8592**

Tap connector with joint for 1" (26-34 mm) and 3/4" (20-27 mm) threaded taps. The 180° swivel and 360° rotation prevent the hose from twisting and kinking. 3/4" M threaded outlet and Quick-Click male connector.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
8592		8	7,9 x 24 x 4,2	26,5 x 10 x 25	0,007	0,81	768	8 000625 085927

MENDER 1/2" HOSE

8618



8619



Saves a damaged hose, joining the two pieces obtained once it is cut at the leaking point.
For 1/2" (12,5 mm) hoses.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
8618		50	3,5 x 4,8 x 3,5	20 x 13 x 39	0,010	1,37	3600	8 000625 086184
8619		14	7,9 x 15,7 x 3,5	26,5 x 10 x 25	0,007	0,61	1344	8 000625 086191

MENDER 5/8" HOSE

8562



8563



Saves a damaged hose, joining the two pieces obtained once it is cut at the leaking point.
For 5/8" (15 mm) hoses.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
8562		30	7 x 5,4 x 7	10 x 13 x 39	0,005	1,00	3600	8 000625 085620
8563		10	7,9 x 15,7 x 4,2	25 x 10 x 19	0,005	0,48	1440	8 000625 085637

MENDER 3/4" HOSE

8620



8621



Saves a damaged hose, joining the two pieces obtained once it is cut at the leaking point.
For 3/4" (19 mm) hoses.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
8620		50	7 x 6 x 7	20 x 13 x 39	0,010	2,10	3600	8 000625 086207
8621		10	7,9 x 15,7 x 4,5	26,5 x 10 x 25	0,007	0,64	960	8 000625 086214



TWO-WAY CONNECTOR

8612**8613**

For connecting two hoses in series with Quick-Click coupling.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
8612		100	3 x 4,9 x 3	20 x 13 x 39	0,010	1,20	7200	8 000625 086122
8613		14	7,9 x 15,7 x 3,5	26,5 x 10 x 25	0,007	0,43	1344	8 000625 086139

CONNECTOR WITH SHUT-OFF VALVE

8611Connector with shut-off valve for opening/closing and regulating the water flow.
Easy grip control knob.
Quick-Click coupling.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
8611		8	7,9 x 24 x 5,5	26,5 x 10 x 25	0,007	0,70	768	8 000625 086115

THREE-WAY CONNECTOR

8614**8615**

For deviating and splitting up water lines.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
8614		40	7,3 x 6,3 x 2	10 x 13 x 39	0,005	0,85	4800	8 000625 086146
8615		12	7,9 x 15,7 x 3,8	26,5 x 10 x 25	0,006	0,48	1152	8 000625 086153

SPRINKLER CONNECTOR
3/4" M**8636****8637**

Connects to Quick-Click system any sprinkler or accessory with 3/4" thread.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
8636		50	3,2 x 4 x 3,2	10 x 13 x 39	0,005	0,62	6000	8 000625 086368
8637		14	7,9 x 15,7 x 3,5	26,5 x 10 x 25	0,007	0,42	1344	8 000625 086375

O-RING AND WASHER SET

8811O-rings, 1/2" and 3/4" washers:
- 3 pcs 1/2" washers
- 5 pcs 3/4" washers
- 5 pcs black OR 10,78 x 2,62

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
8811		15	7,9 x 15,7 x 1,5	25 x 10 x 19	0,005	0,34	2160	8 000625 088119

9-13 mm AUTOMATIC COUPLING**9025**

Automatic coupling for Ø 9-13 mm hose.
Compatible with:
- Spiral Kit (9034) and Spiral Kit Plus (9338)
- Mini-set Balcony (9031) and Utility (9028)

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
9025		10	7,9 x 15,7 x 3,5	25 x 10 x 19	0,005	0,49	1440	8 000625 090259

1/2" AUTOMATIC COUPLING**8606****8607**

Automatic coupling for 1/2" hoses (Ø 12,5 mm).

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
8606		50	3,5 x 5,8 x 3,5	20 x 13 x 39	0,010	1,60	3600	8 000625 086061
8607		14	7,9 x 15,7 x 3,7	26,5 x 10 x 25	0,007	0,67	1344	8 000625 086078

5/8" AUTOMATIC COUPLING**8568****8569**

Automatic coupling for 5/8" hoses (Ø 15 mm).

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
8568		50	3,8 x 6,0 x 3,8	20 x 13 x 39	0,010	1,77	3600	8 000625 085682
8569		12	7,9 x 15,7 x 4,2	26,5 x 10 x 25	0,007	0,63	1152	8 000625 085699

3/4" AUTOMATIC COUPLING**8608****8609**

Automatic coupling for 3/4" hoses (Ø 19 mm).

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
8608		50	4,2 x 6,6 x 4,2	20 x 13 x 39	0,010	2,03	3600	8 000625 086085
8609		12	7,9 x 15,7 x 4,5	26,5 x 10 x 25	0,007	0,72	1152	8 000625 086092

COUPLING WITH SHUT-OFF VALVE**8601**

Automatic coupling with shut-off valve, for opening/closing and regulating the water flow.
Easy grip control knob.
Quick-Click coupling.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
8601		8	7,9 x 24 x 5,5	26,5 x 10 x 25	0,007	0,78	768	8 000625 086016

9-13 mm AUTOMATIC COUPLING W / AQUASTOP**9026**

Automatic coupling with aquastop for Ø 9-13 mm hose.

Compatible with:

- Spiral Kit (9034) and Spiral Kit Plus (9338)
- Mini-Set Balcony (9031) and Utility (9028)

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
9026		10	7,9 x 15,7 x 3,5	25 x 10 x 19	0,005	0,50	1440	8 000625 090266

1/2" AUTOMATIC COUPLING W / AQUASTOP**8602**

Automatic coupling for 1/2" (Ø 12,5 mm) hoses with aquastop valve.

Inserted at the end of the hose, water flow is interrupted by disconnection of male piece.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
8602		50	3,5 x 5,8 x 3,5	20 x 13 x 39	0,010	1,71	3600	8 000625 086023
8603		14	7,9 x 15,7 x 3,5	26,5 x 10 x 25	0,007	0,69	1344	8 000625 086030

5/8" AUTOMATIC COUPLING W / AQUASTOP**8566**

Automatic coupling for 5/8" (Ø 15 mm) hoses with aquastop valve.

Inserted at the end of the hose, water flow is interrupted by disconnection of male piece.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
8566		50	3,8 x 6,0 x 3,8	20 x 13 x 39	0,010	1,83	3600	8 000625 085668
8567		12	7,9 x 15,7 x 4,2	26,5 x 10 x 25	0,007	0,64	1152	8 000625 085675

3/4" AUTOMATIC COUPLING W / AQUASTOP**8604**

Automatic coupling for 3/4" (Ø 19 mm) hoses with aquastop valve.

Inserted at the end of the hose, water flow is interrupted by disconnection of male piece.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
8604		50	4,2 x 6,6 x 4,2	20 x 13 x 39	0,010	2,14	3600	8 000625 086047
8605		12	7,9 x 15,7 x 4,2	26,5 x 10 x 25	0,007	0,74	1152	8 000625 086054

TAP CONNECTOR AND 1/2" COUPLING SET**8813**

Set with tap connector 3/4" (20-27 mm) and reducer 1/2" (15-21 mm), 1/2" automatic coupling.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
8813		10	7,9 x 15,7 x 3,8	25 x 10 x 19	0,005	0,66	1440	8 000625 088133

1/2" HOSE CONNECTION SET**8818**

For connecting two hoses in series.

It contains: two ways connector, 1/2" automatic couplings, with and without aquastop.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
8818		8	7,9 x 24 x 3,8	26,5 x 10 x 25	0,007	0,81	768	8 000625 088188