

POP-UP SPRINKLERS

From Claber years of professional experience comes the pop-up sprinkler range. Designed and created to solve all your watering needs, these sprinklers are simple to use, while offering exclusive functional features. Claber pop-up come with 90°, 180° or 360° jets, or adjustable 0-350° jets. For long, narrow spaces there are square or rectangular area pop-up sprinklers. The jet can be easily adjusted at any time, using any standard hex key.



STAINLESS STEEL JET RANGE
ADJUSTMENT SCREW
WITH HEXAGONAL INSERT

WASHABLE FILTER TO ENSURE
HIGH FILTERING POWER

STAINLESS STEEL RETURN
SPRING

SELF-LUBRICATING CLUTCH
(DELRIN) FOR
ORIENTATION OF THE JET

SPECIAL PROFILE NOZZLE
FOR UNIFORM, BALANCED
JET DISTRIBUTION

HEAD ADJUSTABLE FROM 0°
TO 350° WITH RING NUT
SELF-LOCKING MECHANISM

BODY AND ROD MADE
OF SHOCK-RESISTANT
PLASTIC (ABS)

NON-SPILL RUBBER CHECK
VALVE WITH
FROST-RESISTANT DEVICE

SEALING GASKETS FOR
LEAKAGE-FREE INSTALLATION



0° - 350° - 2" ADJUSTABLE POP-UP (5 cm)

90004


0° - 350° - 3" ADJUSTABLE POP-UP (7,5 cm)

90005


0° - 350° - 4" ADJUSTABLE POP-UP (10 cm)

90006


Professional static sprinkler with 0-350° adjustable head. The choice of materials and quality of the production process are the guarantee of total reliability in any type of installation. The nozzle has a specially designed profile to ensure uniform and balanced water distribution. Stainless steel jet range adjustment screw. The standard 1/2" (15-21 mm) female connector allows it to be mounted on existing systems. Irrigated area max. 78 m².

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90004		24	3,7 x 10,9 x 3,7	20 x 13 x 39	0,010	1,45	1728	
90005		24	3,7 x 13,4 x 3,7	20 x 13 x 39	0,010	1,60	1728	
90006		24	3,7 x 16 x 3,7	20 x 13 x 39	0,010	1,80	1728	



0°-350°	90°	180°	270°	350°	r	
BAR	l/min	l/min	l/min	l/min		
1,5	2,8	5,3	7,7	9,2	r 4,0 m	5,7 m
2,0	3,3	5,8	9,0	10,8	r 4,5 m	6,4 m
3,0	4,0	6,9	10,8	13,0	r 5,0 m	7,1 m

ADJUSTABLE POP-UP 0° - 350° 6 L/MIN - 2" (5 cm)

90020


ADJUSTABLE POP-UP 0° - 350° 6 L/MIN - 4" (10 cm)

90019


A professional-quality static pop-up sprinkler with an adjustable head from 0° to 350°, that guarantees even irrigation and minimal water consumption (6 l/min). It is equipped with a screw to adjust the jet with a hexagonal insert, stainless steel return spring, filter, self-lubricating clutch and non-spill rubber valve with an anti-freeze device. The standard 1/2" (15-21 mm) female connector allows it to be mounted on existing systems. Irrigated area max. 55 m².

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90020		24	3,7 x 10,9 x 3,7	20 x 13 x 39	0,010	1,42	1728	
90019		24	3,7 x 16 x 3,7	20 x 13 x 39	0,010	1,80	1728	



0°-350°	90°	180°	270°	350°	r	
BAR	l/min	l/min	l/min	l/min		
1,5	2,0	3,3	4,5	6,0	r 3,7 m	5,3 m
2,0	2,2	3,6	5,2	6,8	r 4,0 m	5,7 m
3,0	2,5	4,4	6,4	8,2	r 4,2 m	6,0 m

0° - 350° ADJUSTABLE HEAD

90007


Made of shock-resistant ABS plastic.
Filter with support provided.
Stainless steel jet range adjustment screw.
Compatible with other brand sprinklers.
Blister of 1 pc.



code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90007		12	7,9 x 15,7 x 2,8	25 x 10 x 19	0,005	0,31	1728	

360° JET POP-UP - 2" (5 cm)

90041





Professional static sprinkler with 360° head. The choice of materials and quality of the production process are the guarantee of total reliability in any type of installation. The nozzle has a specially designed profile to ensure uniform and balanced water distribution. Stainless steel jet range adjustment screw. The standard 1/2" (15-21 mm) female connector allows it to be mounted on existing systems. Irrigated area max. 58 m².

360° JET POP-UP - 4" (10 cm)

90043



code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet
90041		12	3,7 x 11 x 3,7	10 x 13 x 39	0,005	0,78	1440
90043		12	3,7 x 16 x 3,7	10 x 13 x 39	0,005	0,93	1440



360°			r	
BAR	l/min	m²		
1,5	8,2	43,0	r 3,7 m	5,3 m
2,0	9,5	50,3	r 4,0 m	5,7 m
3,0	11,5	56,7	r 4,3 m	6,0 m


360° HEAD

90044



Made of shock-resistant ABS plastic.
Filter with support provided.
Stainless steel jet range adjustment screw.
Compatible with other brand sprinklers.
Blister of 1 pc.



code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet
90044		12	7,9 x 15,7 x 2,8	25 x 10 x 19	0,005	0,31	1728

180° JET POP-UP - 2" (5 cm)

90053





Professional static sprinkler with 180° head. The choice of materials and quality of the production process are the guarantee of total reliability in any type of installation. The nozzle has a specially designed profile to ensure uniform and balanced water distribution. Stainless steel jet range adjustment screw. The standard 1/2" (15-21 mm) female connector allows it to be mounted on existing systems. Irrigated area max. 31,8 m².

180° JET POP-UP - 4" (10 cm)

90055



code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet
90053		12	3,7 x 11 x 3,7	10 x 13 x 39	0,005	0,78	1440
90055		12	3,7 x 16 x 3,7	10 x 13 x 39	0,005	0,95	1440



180°			r	
BAR	l/min	m²		
1,5	5,1	25,1	r 4,0 m	5,7 m
2,0	6,0	29,0	r 4,3 m	6,0 m
3,0	7,1	31,8	r 4,5 m	6,4 m


180° HEAD

90056



Made of shock-resistant ABS plastic.
Filter with support provided.
Stainless steel jet range adjustment screw.
Compatible with other brand sprinklers.
Blister of 1 pc.



code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet
90056		12	7,9 x 15,7 x 2,8	25 x 10 x 19	0,005	0,32	1728

90° JET POP-UP - 2" (5 cm)

90095

Professional static sprinkler with 90° head. The choice of materials and quality of the production process are the guarantee of total reliability in any type of installation.

The nozzle has a specially designed profile to ensure uniform and balanced water distribution.

Stainless steel jet range adjustment screw. The standard 1/2" (15-21 mm) female connector allows it to be mounted on existing systems. Irrigated area max. 12,6 m².


90° JET POP-UP - 4" (10 cm)

90097

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90095		12	3,7 x 11 x 3,7	10 x 13 x 39	0,005	0,78	1440	8 000625 900954
90097		12	3,7 x 16 x 3,7	10 x 13 x 39	0,005	0,93	1440	8 000625 900978



90°			r	
BAR	l/min	m ²		
1,5	2,8	8,6	r3,3 m	4,6 m
2,0	3,2	9,6	r3,5 m	4,9 m
3,0	3,9	12,6	r4,0 m	5,7 m



90° HEAD

90098

Made of shock-resistant ABS plastic.
Filter with support provided.
Stainless steel jet range adjustment screw.
Compatible with other brand sprinklers.
Blister of 1 pc.



code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90098		12	7,9 x 15,7 x 2,8	25 x 10 x 19	0,025	0,32	1728	8 000625 900985



SQUARE AREA POP-UP - 4" (10 cm)

90133



Professional static sprinkler with square area. The choice of materials and quality of the production process are the guarantee of total reliability in any type of installation. The nozzle has a specially designed profile to ensure uniform and balanced water distribution. Stainless steel jet range adjustment screw. The standard 1/2" (15-21 mm) female connector allows it to be mounted on existing systems. Height from ground 4" (10 cm). Irrigated area max. 64 m².

BAR	l/min	m ²	A B	
1,5	8,9	36,0	6 x 6 m	5,5 m
2,0	10,3	49,0	7 x 7 m	6,3 m
3,0	12,6	64,0	8 x 8 m	7,3 m

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90133		12	3,7 x 16 x 3,7	10 x 13 x 39	0,005	0,95	1440	8 000625 901333

SQUARE AREA HEAD

90134



Square area head: made of shock-resistant ABS plastic. Filter with support provided. Stainless steel jet range adjustment screw. Compatible with other brand sprinklers. Blister of 1 pc.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90134		12	7,9 x 15,7 x 2,8	25 x 10 x 19	0,005	0,31	1728	8 000625 901340

CENTRE-STRIP POP-UP - 4" (10 cm)

90109



Professional static sprinkler with centre-strip. The choice of materials and quality of the production process are the guarantee of total reliability in any type of installation. The nozzle has a specially designed profile to ensure uniform and balanced water distribution. Stainless steel jet range adjustment screw. The standard 1/2" (15-21 mm) female connector allows it to be mounted on existing systems. Height from ground 4" (10 cm). Irrigated area max. 20,3 m².

BAR	l/min	m ²	A B	
1,5	6,8	13,2	12,0 x 1,1 m	
2,0	8,3	17,2	13,2 x 1,3 m	
3,0	10,2	20,3	13,5 x 1,5 m	1,2 m

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90109		12	3,7 x 16 x 3,7	10 x 13 x 39	0,005	0,97	1440	8 000625 901098

CENTRE-STRIP HEAD

90110



Centre-strip head: made of shock-resistant ABS plastic. Filter with support provided. Stainless steel jet range adjustment screw. Compatible with other brand sprinklers. Blister of 1 pc.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90110		12	7,9 x 15,7 x 2,8	25 x 10 x 19	0,005	0,32	1728	8 000625 901104

END-STRIP POP-UP - 4"
(10 cm)**90121**

Professional static sprinkler with end-strip. The choice of materials and quality of the production process are the guarantee of total reliability in any type of installation.

The nozzle has a specially designed profile to ensure uniform and balanced water distribution. Stainless steel jet range adjustment screw. The standard 1/2" (15-21 mm) female connector allows it to be mounted on existing systems.

Height from ground 4" (10 cm).

Irrigated area max. 11,2 m².

BAR	l/min	m ²	A B	
1,5	3,8	8,0	8,0 x 1,0 m	
2,0	4,4	9,1	8,3 x 1,1 m	
3,0	5,4	11,2	9,3 x 1,2 m	1,1 m

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90121		12	3,7 x 16 x 3,7	10 x 13 x 39	0,005	0,95	1440	8 000625 901210

END-STRIP HEAD**90122**

End-strip head: made of shock-resistant ABS plastic. Filter with support provided.

Stainless steel jet range adjustment screw.

Compatible with other brand sprinklers.

Blister of 1 pc.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90122		12	7,9 x 15,7 x 2,8	25 x 10 x 19	0,005	0,32	1728	8 000625 901227

SET OF POP-UP SPARE PARTS**90124**

Set of spare parts comprising:

- 2 pop-up ring nuts
- 4 pop-up sealing gaskets for Pop-up, Colibri and Turbo-Jet.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90124		12	7,9 x 15,7 x 2,8	25 x 10 x 19	0,005	0,46	1728	8 000625 901241

SET OF SPARE POP-UP AND COLIBRI FILTERS**90123**

5 replacement filters for Pop-up and Colibri sprinklers.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90123		12	7,9 x 15,7 x 2	25 x 10 x 19	0,005	0,29	1728	8 000625 901234

