


UNDERGROUND ACCESSORIES

Valve boxes, pipes, connectors and accessories: there are the different components that make up an underground system. Claber means quality, durability and reliability in every detail, to ensure that your plants and lawn are always watered efficiently, at the right time and without wasting water.



ACCESSORIES

Everything you need

T 1" (26-34 mm) F. x 1" (26-34 mm)
F. x 1" (26-34 mm) M.

90808



For connecting solenoid valves in series; o-ring seal.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90808		10	15 x 4,5 x 13	10 x 13 x 39	0,005	1,21	1200	

1" (26-34 mm) F.
x 1" (26-34 mm) M. ELBOW

90807



For connecting a solenoid valve; o-ring seal.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90807		10	15 x 5 x 16	10 x 13 x 39	0,005	0,94	1200	

1" (26-34 mm) F.
x 1" (26-34 mm) M. COUPLING

90803



Coupling for connection to solenoid valves; o-ring seal.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90803		10	15 x 4,4 x 13	10 x 13 x 39	0,005	0,72	1200	

DRAINAGE VALVE

90910



For automatic circuit draining. Especially useful in areas with cold winters. Bronze with 1/2" (15-21 mm) male thread and 3/4" (20-27 mm) adaptor. Header bag of 1 pc.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90910		15	8 x 13 x 2	10 x 13 x 39	0,005	1,10	1800	

3/4" M (20-27 mm)
x 1/2" M (15-21 mm) NIPPLE

90703



3/4" M (20-27 mm)
x 3/4" M (20-27 mm) NIPPLE

90702



1" M (26-34 mm)
x 3/4" M (20-27 mm) NIPPLE

90701



1" (26-34 mm) M
x 1" (26-34 mm) M NIPPLE

90805



1" (26-34 mm) M
3/4" (20-27 mm) F REDUCER

90809



1/2" (15-21 mm) M
THREADED CAP

90714



3/4" (20-27 mm) M
THREADED CAP

90713



1" (26-34 mm) M
THREADED CAP

90715



1/2" FEMALE THREADED CAP

90801



3/4" FEMALE THREADED CAP

90802



1/2" M (15-21 mm) x 3/4" M (20-27 mm)		3/4" M (20-27 mm) x 3/4" M (20-27 mm)		3/4" M (20-27 mm) x 1" M (26-34 mm)		1" M (26-34 mm) x 1" M (26-34 mm)	
90703		90702		90701		90805	
code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet
90703		40	Ø 4,3 x 2,6 x 2,6	10 x 13 x 39	0,005	0,58	4800
90702		40	Ø 4,4 x 2,6 x 2,6	10 x 13 x 39	0,005	0,63	4800
90701		40	Ø 4,7 x 3,5 x 3,5	10 x 13 x 39	0,005	0,86	4800
90805		40	Ø 5 x 3,5 x 3,5	10 x 13 x 39	0,005	0,94	4800
1" M (26-34 mm) x 3/4" F (20-27 mm)							
90809							
code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet
90809		30	3,6 x 3,0 x 3,6	10 x 13 x 39	0,005	0,48	3600
1/2" M (15-21 mm)		3/4" M (20-27 mm)		1" M (26-34 mm)			
90714		90713		90715			
code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet
90714		20	Ø 2,8 x 2,1 x 2,1	10 x 13 x 39	0,005	0,42	2400
90713		40	Ø 3 x 2,7 x 2,7	10 x 13 x 39	0,005	0,53	4800
90715		40	Ø 3,5 x 3,5 x 3,5	10 x 13 x 39	0,005	0,76	4800
1/2" F (15-21 mm)		3/4" F (20-27 mm)					
90801		90802					
code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet
90801		20x2	1,9 x 2,7 x 2,7	10 x 13 x 39	0,005	0,40	4800
90802		20x2	2,3 x 3,3 x 3,3	10 x 13 x 39	0,005	0,52	4800



Ø 3/4" (20-27 mm) - 1/2" (15-21 mm) THREADED EXTENSION

90721


For fitting sprinklers to the polyethylene tubes (with compression connectors).
Can be cut to the height desired.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90721		50	11,3 x 15 x 3	20 x 13 x 39	0,010	1,46	3600	8 000625 907212

Ø 3/4" (20-27 mm) - 3/4" (20-27 mm) THREADED EXTENSION

90722


For fitting sprinklers to the polyethylene tubes (with compression connectors).
Can be cut to the height desired.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90722		50	14,6 x 15 x 3	20 x 13 x 39	0,010	1,74	3600	8 000625 907229

Ø 1/2" (15-21 mm) - 1/2" (15-21 mm) THREADED EXTENSION

90720


For fitting sprinklers to the polyethylene tubes (with compression connectors).
Can be cut to the height desired.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90720		50	10,5 x 15 x 25	20 x 13 x 39	0,010	1,37	3600	8 000625 907205

FLEXIBLE EXTENSION Ø 3/4" (20-27 mm) - 3/4" (20-27 mm)

90747


For installation of pop-up sprinklers and turbines with bracket couplings, T-connectors, elbow connectors with female elbows.
Handy when soil settles or for reaching restricted points like corners of a garden or pavement edges. Length: 35 cm. Header bag of 1 pc.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90747		8	8 x 33 x 2,5	10 x 13 x 39	0,005	0,75	960	8 000625 907472

FLEXIBLE EXTENSION Ø 3/4" (20-27 mm) - 1/2" (15-21 mm)

90746


For installation of pop-up sprinklers and turbines with bracket couplings, T-connectors, elbow connectors with female elbows.
Handy when soil settles or for reaching restricted points like corners of a garden or pavement edges. Length: 35 cm. Header bag of 1 pc.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90746		8	8 x 33 x 2,5	10 x 13 x 39	0,005	0,75	960	8 000625 907465

BRACKET COUPLING
FOR Ø 32 mm HOSE

90276


BRACKET COUPLING
FOR Ø 25 mm HOSE

90450


BRACKET COUPLING
FOR Ø 20 mm HOSE

90858




For installing a sprinkler on the main line without cutting the tube.
Header bag of 2 pcs.



code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90276		7 x 2	21 x 5 x 19	20 x 13 x 39	0,010	1,70	504	8 000625 902767
90450		8 x 2	20 x 4 x 16,5	20 x 13 x 39	0,010	1,24	576	8 000625 904501
90858		10 x 2	15 x 13 x 3,5	20 x 13 x 39	0,010	1,20	720	8 000625 908585

Ø 1" (26-34 mm) F
MANUAL VALVE

90917




Single-ring female/female Ø 1" (26-34 mm) manual valve for closing water line before the solenoid valves for inspection and maintenance.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90917		5	14,5 x 7 x 17	10 x 13 x 39	0,005	0,99	600	8 000625 909179

Ø 3/4" (20-27 mm) F
MANUAL VALVE

90918




Single-ring female/female Ø 3/4" (20-27 mm) manual valve for closing water line before the solenoid valves for inspection and maintenance.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90918		5	19 x 7 x 15	10 x 13 x 39	0,005	0,97	600	8 000625 909186

CIRCUIT FILTER

90919




Polypropylene filter with 1" (26-34 mm) double male thread filter cartridge made from 120 mesh stainless steel wire netting.
Maximum flow 5 m³/h. Operating pressure from 0,5 to 8 bar.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90919		3	15 x 8 x 26	20 x 13 x 39	0,010	0,79	216	8 000625 909193

QUICK-CLICK STANDPIPE

90930

Complete with bayonet rod featuring male Quick-Click connector for connecting the hoses in all garden corners. Automatic opening and shut-off valve. 3/4" (20-27 mm) male threaded for connection to bracket.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90930		4	15 x 8 x 22	20 x 13 x 39	0,010	1,39	288	8 000625 909308

SPARE ROD FOR QUICK COUPLING VALVE INLET

90929

Bayonet rod featuring male Quick-Click connector for connecting hoses to every corner of the garden. Header bag of 1 pc.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90929		5	14 x 24 x 4	20 x 13 x 39	0,010	0,80	360	8 000625 909292

HYDRANT VALVE BOX

90520



Circular valve box with hinged cover, shaped to allow the hose to pass through. Connects to underground system with one of the two 3/4" F threaded outlets located underneath and to the side. Plug with OR provided to lock the unused outlet. Inside there is a metal 3/4" M metal ball valve, for easy connection of a flexible hose. Holes on the base to allow water to drain.



A mm	B mm	H mm
Ø 210		140



code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet
90520		3	21 x 14 x 21	39 x 19 x 39	0,028	2,93	72



CIRCULAR VALVE BOX

90500



Circular valve box with snap closure lid. Lateral openings at the base. It contains 1 valve.



A mm	B mm	H mm
Ø 290		250



code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet
90500		1	29 x 25 x 32	29 x 25 x 31	0,023	1,20	



RECTANGULAR VALVE BOX


90515



Rectangular valve box with tamper-proof lid. Resistant to high and low temperatures and UV radiation. It contains 4 valves.



A mm	B mm	H mm
400	510	310



code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet
90515		1	40 x 51 x 31	40 x 50 x 31	0,062	3,30	



RECTANGULAR VALVE BOX


90510



Rectangular valve box with tamper-proof lid. Resistant to high and low temperatures and UV radiation. It contains 5 valves.



A mm	B mm	H mm
500	640	310



code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet
90510		1	50 x 64 x 31	50 x 64 x 31	0,099	7,42	



COMPRESSION CONNECTORS AND PIPES

Available in 20, 25 and 32 mm version, the range of pipes and connectors adapts to the size of your garden for made-to-measure solutions.

These compression fittings guarantee a perfect, watertight connection, and the extensive range means you can connect up to any water outlet, branch off from the irrigation line and install any pop-up sprinklers.



Ø 20 mm PE TUBE

90372



90373



Coils of PFA6 polyethylene tube for compression connectors. Flexible. Resistant to algae formation and low temperatures.

90372 - 15 m
90373 - 25 m

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90372		1	Ø 46 x 7	Ø 46 x 7	0,001	1,60		8 000625 903726
90373		1	Ø 46 x 13	Ø 46 x 13	0,016	2,70		8 000625 903733

Ø 25 mm PE TUBE

90380



90385



Coils of PFA6 polyethylene tube for compression connectors. Flexible. Resistant to algae formation and low temperatures.

90380 - 25 m
90385 - 50 m

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90380		1	Ø 58 x 17,5	Ø 58 x 17,5	0,060	4,2		8 000625 903801
90385		1	Ø 58 x 25	Ø 58 x 25	0,084	8,6		8 000625 903856

Ø 32 mm PE TUBE

90390



90395



Coils of PFA6 polyethylene tube for compression connectors. Flexible. Resistant to algae formation and low temperatures.

90390 - 25 m
90395 - 50 m

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90390		1	Ø 73 x 15	Ø 73 x 15	0,063	6,60		8 000625 903900
90395		1	Ø 86 x 19	Ø 86 x 19	0,110	13,20		8 000625 903955

1" (26-34 mm) M. THREADED
CONNECTOR Ø 20 mm

90318



For connecting a polyethylene tube to a female 1" (26-34 mm) threaded water supply or solenoid valve (cod. 90812-90814).

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90318		20	4,4 x 6,7 x 4,4	10 x 13 x 39	0,005	0,88	2400	8 000625 903184

1" (26-34 mm) F. THREADED
CONNECTOR Ø 20 mm

90319



For connecting a polyethylene tube to a 1" (26-34 mm) male threaded water supply or the connectors to the solenoid valves (cod. 90813 - 90815).

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90319		20	4,4 x 6,9 x 4,4	10 x 13 x 39	0,005	0,93	2400	8 000625 903191

F. 3/4" (20-27 mm) - 1/2" THREADED
CONNECTOR (15-21 mm) Ø 20 mm

90320



For connecting a polyethylene tube to a 3/4" (20-27 mm) threaded tap or solenoid valve with male 3/4" (20-27 mm) or 1/2" (15-21 mm) thread.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90320		20	4,4 x 8,3 x 4,4	10 x 13 x 39	0,005	0,95	2400	8 000625 903207

COUPLING Ø 20 mm

90321



For connecting two polyethylene tubes or repairing a punctured tube.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90321		15	4,4 x 8,9 x 4,4	10 x 13 x 39	0,005	0,87	1800	8 000625 903214

ELBOW CONNECTOR
Ø 20 mm

90322



For joining two polyethylene tubes at right angle.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90322		15	8 x 4,4 x 8	10 x 13 x 39	0,005	0,91	1800	8 000625 903221

T Ø 20 mm

90323



For connecting three polyethylene tubes to create a branch off.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90323		10	11,7 x 8,2 x 4,4	10 x 13 x 39	0,005	0,88	1200	8 000625 903238

**1/2" (15-21 mm) M. THREADED
ELBOW Ø 20 mm****90324**

For connecting Colibri micro-sprinklers, Turbo-Jet, Pop-up sprinklers at the end of 20 mm main tube.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90324		20	7,15 x 6,3 x 4,4	10 x 13 x 39	0,005	0,78	2400	8 000625 903245

**1/2" (15-21 mm) M. THREADED
T CONNECTOR Ø 20 mm****90325**

For connecting Colibri micro-sprinklers, Turbo-Jet, Pop-up sprinklers in series to 20 mm main tube.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90325		15	11,7 x 6,4 x 4,4	10 x 13 x 39	0,005	0,98	1800	8 000625 903252

**3/4" (20-27 mm) F. THREADED
ELBOW Ø 20 mm****90326**

For connecting a threaded coupling or drainage valve to the end of the line.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90326		20	7,8 x 6,7 x 4,4	10 x 13 x 39	0,005	0,94	2400	8 000625 903269

END-OF-LINE PLUG Ø 20 mm**90327**

For closing off one end of the polyethylene tube.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90327		20	4,4 x 4,9 x 4,4	10 x 13 x 39	0,005	0,68	2400	8 000625 903276

**Ø 16 mm - Ø 20 mm
COUPLING****90328**

To connect two polyethylene hoses of different diameters, Ø 16 and 20 mm.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90328		20	8,3 x 4,4 x 4,4	10 x 13 x 39	0,005	0,75	2400	8 000625 903283

**Ø 20 mm WALL PLATE
ELBOW****90329**

Wall plate elbow to connect a 20 mm polyethylene hose and a tap with 1/2" M fitting, creating a new water intake connected to the system. Attachment to wall with screws and plugs (not included).

code	packaging	qty	pack size (cm)	box size (cm)	volume (m ³)	weight (kg)	pcs/pallet	
90329		10	6 x 8,8 x 7,1	10 x 13 x 39	0,005	0,72	1200	8 000625 903290

CONNECTOR Ø 25 mm

90424



90524



COUPLING Ø 25 mm
1" (26-34 mm) THREAD

90420



COUPLING Ø 25 mm
3/4" (20-27 mm) THREAD

90421



COUPLING Ø 25 mm

90419



ELBOW CONNECTOR
Ø 25 mm

90417



T Ø 25 mm CONNECTOR

90422



90424 F. 3/4" (20-27 mm) THREAD For connecting a 3/4" polyethylene tube to a 3/4" (20-27 mm) male threaded tap or solenoid valve with male 3/4" (20-27 mm) thread.

90524 F. 1" (26-34 mm) THREAD For connecting a polyethylene tube to a 1" (26-34 mm) male threaded water supply or the connectors to the solenoid valve (cod. 90813-90815).

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90424		15	5,2 x 8,15 x 5,2	10 x 13 x 39	0,005	0,90	1800	8 000625 904242
90524		10	5,2 x 7,7 x 5,2	10 x 13 x 39	0,005	0,68	1200	8 000625 905249

For connecting a polyethylene tube to a female 1" (26-34 mm) threaded water supply or solenoid valve (cod. 90812-90814).

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90420		15	5,2 x 7,5 x 5,2	10 x 13 x 39	0,005	0,84	1800	8 000625 904204

For connecting a polyethylene tube to a female 3/4" (20-27 mm) threaded water supply or solenoid valve.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90421		15	5,2 x 7,05 x 5,2	10 x 13 x 39	0,005	0,81	1800	8 000625 904211

For connecting two polyethylene tubes or repairing a punctured tube.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90419		9	5,2 x 10,2 x 5,2	10 x 13 x 39	0,005	0,82	1080	8 000625 904198

For joining two polyethylene tubes at right angle.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90417		7	5,2 x 10 x 5,2	10 x 13 x 39	0,005	0,73	840	8 000625 904174

For connecting three polyethylene tubes to create a branch off.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90422		4	5,2 x 7,5 x 5,2	10 x 13 x 39	0,005	0,64	480	8 000625 904228

ELBOW Ø 25 mm F. 3/4" (20-27 mm) THREAD

90423



For connecting a threaded coupling or drainage valve to the end of the line.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90423		12	8,9 x 7,5 x 5,2	10 x 13 x 39	0,005	0,83	1440	8 000625 904235

T Ø 25 mm 3/4" (20-27 mm) THREAD

90418



For installation on main polyethylene tube after cutting and joining two tube sections.
With 3/4" (20-27 mm) female thread.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90418		6	16,5 x 8,3 x 6,2	10 x 13 x 39	0,005	0,75	720	8 000625 904181

ELBOW CONNECTOR Ø 25 mm F. 1/2" (15-21 mm) THREAD

90427



For installation on main polyethylene tube after cutting and joining two tube sections.
Used with 1/2" (15-21 mm) threaded extension.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90427		7	5,2 x 11,5 x 5,2	10 x 13 x 39	0,005	0,75	840	8 000625 904273

END-OF-LINE PLUG Ø 25 mm

90425



For closing off one end of the polyethylene tube.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90425		15	5,2 x 5,9 x 5,2	10 x 13 x 39	0,005	0,77	1800	8 000625 904259

Ø 20 mm - Ø 25 mm COUPLING

90428



To connect two polyethylene hoses of different diameters, Ø 20 and 25 mm.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90428		12	5,1 x 9,5 x 5,1	10 x 13 x 39	0,005	0,73	1440	8 000625 904280

Ø 25 mm WALL PLATE ELBOW

90429



Wall plate elbow to connect a 25 mm polyethylene hose and a tap with 3/4" M fitting, creating a new water intake connected to the system.
Attachment to wall with screws and plugs (not included).

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90429		10	7,5 x 11 x 8,6	20 x 13 x 39	0,010	1,13	720	8 000625 904297

CONNECTOR Ø 32 mm
F. 3/4" (20-27 mm) THREAD

90274



For connecting a polyethylene tube to a 3/4" (20-27 mm) threaded tap or solenoid valve with male 3/4" (20-27 mm) thread.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90274		10	6,2 x 7,7 x 6,2	10 x 13 x 39	0,005	0,90	1200	8 000625 902743

CONNECTOR Ø 32 mm
F. 1" (26-34 mm) THREAD

90374



For connecting a polyethylene tube to a 1" (26-34 mm) male threaded water supply or the connectors to the solenoid valves (cod. 90813-90815).

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90374		12	6,2 x 8,15 x 6,2	20 x 13 x 39	0,010	1,16	864	8 000625 903740

COUPLING Ø 32 mm
1" (26-34 mm) THREAD

90271



For connecting a polyethylene tube to a female threaded water supply or solenoid valve (cod. 90812-90814).

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90271		20	6,2 x 8,2 x 6,2	20 x 13 x 39	0,010	1,70	1440	8 000625 902712

COUPLING Ø 32 mm

90275



For connecting two polyethylene tubes or repairing a punctured tube.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90275		12	6,2 x 12 x 6,2	20 x 13 x 39	0,010	1,70	864	8 000625 902750

ELBOW CONNECTOR
Ø 32 mm

90270



For joining two polyethylene tubes at right angle.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90270		8	12 x 12 x 6,2	20 x 13 x 39	0,010	1,70	576	8 000625 902705

T Ø 32 mm CONNECTORS

90272



For connecting three polyethylene tubes to create a branch off.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90272		5	16,5 x 11 x 6,2	20 x 13 x 39	0,010	1,20	360	8 000625 902729

**ELBOW Ø 32 mm
F. 3/4" (20-27 mm) THREAD**
90273

For connecting a threaded coupling or drainage valve to the end of the line.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90273		12	10,5 x 8,1 x 6,2	20 x 13 x 39	0,010	1,30	864	8 000625 902736

**T Ø 32 mm 3/4" (20-27 mm)
THREAD**
90416

For installation on main polyethylene tube after cutting and joining two tube sections.
With 3/4" (20-27 mm) female thread.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90416		5	16,5 x 8,5 x 6,2	20 x 13 x 39	0,010	0,96	360	8 000625 904167

**ELBOW CONNECTOR Ø 32 mm
F. 3/4" (20-27 mm) THREAD**
90426

For installation on main polyethylene tube after cutting and joining two tube sections.
Used with 3/4" (20-27 mm) threaded extension.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90426		8	11,5 x 6 x 6,2	20 x 13 x 39	0,010	1,36	576	8 000625 904266

END-OF-LINE PLUG Ø 32 mm
90277

For closing off one end of the polyethylene tube.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90277		12	6,2 x 6,4 x 6,2	10 x 13 x 39	0,005	0,94	1440	8 000625 902774

**Ø 25 mm - Ø 32 mm
COUPLING**
90279

To connect two polyethylene hoses of different diameters, Ø 25 and 32 mm.

code	packaging	qty	pack size (cm)	box size (cm)	volume (m³)	weight (kg)	pcs/pallet	
90279		12	6,2 x 11 x 6,2	20 x 13 x 39	0,010	1,43	864	8 000625 902798