

BAC 70

01001080-xxx OLI-1



purposes

External dimensions (L x l x h)

680 x 560 x 850 mm

Internal dimensions* (L x l x h)

477 x 363 x 620 mm

Internal volume

105 L

Empty weight

30 Kg

* Average value for reference purposes



Chilled



Frozen



Ambient

Insulated container standard specifications

Box & lid :

- **Monobloc wall** in UV-resistant food grade polyethylene ;
- **Injected polyurethane foam** ;
- **Monobloc silicone frame seal** ;
- **Sealing frontal toggle closure**, yellow zinc coating ;
- **Lid opening at 115°** ;
- **4 side-handling handles** rotationally molded into the mass ;
- **Mass-produced boss** for stacking ;
- Maximum capacity of storable pellets : \approx 84 kg

Accessory options

Double silicone seal in dry ice drawer configuration.

Customization

Signage : heat-sealed adhesive – ready-to-print file provided by the client.

Tracking : temperature/GPS tracking solution.

Logo molded into the mass.


Branding marking : engraved aluminum plate 150 x 90 mm

Cold source

ADVICES

Eutectic plates : up to 3 eutectic plates TOP70 all temperature according to the existing Olivo standard.

Dry ice bac : rotomolded, capacity of 6L.



Insulated container properties

Thermal

Coef K.	0.40 W/m ² .°C
ATP category	IR
Temperature resistance	-80°C/+70°C
Double wall thickness	\approx 90 mm
Internal convection grooves	

Mechanical

Dynamic load capacity	-
Static load capacity	-

Double-walled, rotational-molded and grooved



Update 26 /10/2023